INDEX OF AUTHORS' NAMES.

TRANSACTIONS. 1902.

(Marked T.); and to Proceedings, 1901—1902; Nos. 241 to 258, Nov., 1901—Dec., 1902 (marked P.).

COMPILED BY MARGARET D. DOUGAL.

A.

Allen, *Charles.* See *Robert Howson* **Pickard.**

Allison, *John Raymond.* See *Arthur George* **Perkin.**

Anderson, *W. R.* See *Joseph William* **Mellor.**

Angel, *Andrea,* and *Augustus George Vernon* **Harcourt,** observations on the phenomena and products of decomposition when normal cupric acetate is heated, T., 1385; P., **1902,** 185.

Armstrong, *Henry Edward,* Frankland memorial lecture, P., **1901,** 193.

Armstrong, *Henry Edward,* and *Edward* **Horton,** the part played by residual affinity in the formation of substitution derivatives; the orienting influence of sulphur, P., **1901,** 246.

Armstrong, *Henry Edward,* and *Thomas Martin* **Lowry,** studies of the terpenes and allied compounds; the sulphonation of camphor. I. Camphorsulphonic acid (Reychler); the formation of anhydramides, T., 1441; P. **1901,** 182.

—— —— studies of the terpenes and allied compounds; the sulphonation of camphor. II. β-Bromocamphor and its derivatives; β-bromocamphoric acid, T., 1462; P., **1901,** 217, 244.

—— —— studies of the terpenes and allied compounds; the sulphonation of camphor. III. The optical inversion of camphor and the mechanism of hetero- and meso-sulphonation, and of homo- and hetero-bromination, and of dehydration, T., 1469.

Auld, *Samuel James Manson.* See *John Theodore* **Hewitt.**

B.

Baker, *Herbert Brereton,* the union of hydrogen and oxygen, T., 400; P., **1902,** 40.

Baker, *Julian Levett,* the action of ungerminated barley diastase on starch. Part I., T., 1177; P., **1902,** 134; discussion, P., 135.

Ball, *Walter Craven,* a new colour reaction of hydroxylamine, P., **1902,** 9.

Baly, *Edward Charles Cyril,* and *Frederick George* **Donnan,** the variation with temperature of the surface energies and densities of liquid oxygen, nitrogen, argon, and carbon monoxide, T., 907; P., **1902,** 115.

Bassett, *Henry, jun.* See *Frederick George* **Donnan.**

Berthelot, *Marcellin* [*Pierre Eugène*], congratulatory address to, P., **1901,** 250.

Bone, *William Arthur,* and *Charles Henry Graham* **Sprankling,** the synthesis of alkyltricarballylic acids, T., 29; P., **1901,** 215.

—— —— the bromination of trimethylsuccinic acid and the interaction of ethybromotrimethylsuccinate and ethyl sodiocyanoacetate, T., 50; P., **1901,** 243.

Bone, *William Arthur,* and *Richard V.* **Wheeler,** the slow oxidation of methane at low temperatures, T., 535; P., **1902,** 51.

Bowdler, *William Audley.* See *Robert Howson* **Pickard.**

Bradley, *Sidney Wallace.* See *John Theodore* **Hewitt.**

Brauner, *Bohuslav,* and *František* **Pavlíček,** revision of the atomic weight of lanthanum, T., 1243; P., 1901, 63.

Briggs, *Samuel Henry Clifford*, a series of double chromates, P., **1902**, 254.

Briggs, *Samuel Henry Clifford*. See also *Julius Berend* **Cohen**, and *Arthur George* **Perkin**.

Brown, *Adrian John*, enzyme action, T., 373; P., **1902**, 41.

Brown, *Horace T.*, and *Tom Aldrich* **Glendinning**, the velocity of hydrolysis of starch by diastase, with some remarks on enzyme action, T., 388; P., **1902**, 43.

Browning, *Kendall Colin*, phosphorus suboxide, P., **1901**, 243.

Burkard, *Emil*, and *Morris William* **Travers**, the action of acetylene on the acetates of mercury, T., 1270; P., **1902**, 183.

Burrows, *Harry*. See *William Augustus* **Tilden**.

C.

Cain, *John Cannell*, and *Frank* **Nicoll**, the rate of decomposition of diazo-compounds. Part I. Diazo-compounds of the benzene series, T., 1412; P., **1902**, 186.

—— —— rate of decomposition of diazo-compounds. Part II. Diazo-compounds of the naphthalene series, P., **1902**, 244.

Carpenter, *Henry Cort Harold*, the oxidation of sulphurous acid to dithionic acid by metallic oxides, T., 1; P., **1901**, 212.

Carter, *William*. See *Robert Howson* **Pickard**.

Caven, *Robert Martin*, the molecular configuration of phosphoryl chloride and its derivatives, T., 1362; P., **1901**, 26.

Chapman, *David Leonard*, and *Frank Austin* **Lidbury**, the decomposition of water vapour by the electric spark, T., 1301; P., **1902**, 183.

Chattaway, *Frederick Daniel*, nitrogen chlorides containing the propionyl group, T., 637; P., **1902**, 64.

—— nitrogen bromides containing the propionyl group, T., 814; P., **1902**, 113.

—— substituted nitrogen chlorides containing the azo-group, T., 982; P., **1902**, 174.

—— a new type of substituted nitrogen chlorides, P., **1902**, 165.

—— transformation of diacetanilide into acetyl-*p*-aminoacetophenone, P., **1902**, 173.

—— the transformation of diazoamino- into aminoazo-compounds, and of hydrazobenzene into benzidine, P., **1902**, 175.

Chattaway, *Frederick Daniel*, and *Kennedy Joseph Previte* **Orton**, the transformation of acetylchloroaminobenzenes into the isomeric chloroacetanilides, P., **1902**, 200.

Chattaway, *Frederick Daniel*, and *John Mello* **Wadmore**, the constitution of hydrocyanic, cyanic, and cyanuric acids, T., 191; P., **1902**, 5; discussion, P., 6.

—— —— nitrogen chlorides and bromides derived from ortho-substituted anilides, T., 984; P., **1902**, 173.

—— —— the Cloëz reaction, P., **1902**, 56; discussion, P., 57.

Clayton, *Edwy Godwin*, on an incrustation from the Stone Gallery of St. Paul's Cathedral, P., **1901**, 201.

—— asbestos, P., **1901**, 203.

—— phosphorus sesquisulphide and its behaviour with Mitscherlich's test, P., **1902**, 129.

Clowes, *Frank*, the chemical change produced by the immersion of lead in distilled water, P., **1902**, 46.

Cohen, *Julius Berend*, and *Samuel Henry Clifford* **Briggs**, menthyl formylphenylacetate, P., **1902**, 172.

Cohen, *Julius Berend*, and *Henry Drysdale* **Dakin**, note on the reduction of trinitrobenzene and trinitrotoluene with hydrogen sulphide, T., 26; P., **1901**, 214.

—— —— the chlorination of the dichlorotoluenes in presence of the aluminium-mercury couple. The constitution of the trichlorotoluenes, T., 1324; P., **1902**, 183.

—— —— the constitution of the nitro- and dinitro- derivatives of the dichlorotoluenes, T., 1344; P., **1902**, 184.

—— —— the constitution of the products of nitration of *m*-acetotoluidide, P., **1902**, 240.

Cohen, *Julius Berend*, and *J. T.* **Thompson**, the action of sodium hypochlorite on benzenesulphonanilide, P., **1901**, 262.

Collie, *John Norman*. See *Thomas* **Tickle**.

Crocker, *James Codrington*, the picriminothiocarbonic esters, T., 436; P., **1902**, 57.

Crofts, *James Murray*. See *Robert Selby* **Morrell**.

Crompton, *Holland*, specific heat of gases, P., **1902**, 138; discussion, P., 189.

—— the specific heat of liquids, P., **1902**, 236.

Crossley, *Arthur William*, preparation and properties of 4-isopropyldihydroresorcin, T., 675; P., **1901**, 172; **1902**, 86.

Crossley, *Arthur William*, and *Henry Rondel* **Le Sueur**, substituted dihydrobenzenes. Part I. $\Delta^{2:4}$-Dimethyldihydrobenzene, T., 821; P., **1901**, 245.

—— 3:5-dichloro-*o*-xylene and 3:5-dichloro-*o*-phthalic acid, T., 1533; P., **1901**, 190.

—— action of phosphorus haloids on dihydroresorcins. Part I. Dimethyldihydroresorcin, P., **1902**, 238.

D.

Dakin, *Henry Drysdale*. See *Julius Berend* **Cohen**.

Davis, *William Alfred*, 2:4-dibromo-5-nitro- and 2:4-dibromo-3:5-dinitrotoluenes, and their behaviour on reduction, T., 870; P., **1902**, 118.

Dawson, *Harry Medforth*, the molecular complexity of acetic acid in chloroform solution, T., 521; P., **1902**, 69.

—— the solvent properties of mixed liquids in relation to the chemical characters and solvent properties of their components, T., 1086; P., **1902**, 179.

Dawson, *Harry Medforth*, and *R.* **Gawler**, the existence of polyiodides in nitrobenzene solution, I., T., 524; P., **1902**, 69.

Dawson, *Harry Medforth*, and *F. E.* **Grant**, a method of determining the ratio of distribution of a base between two acids, T., 512; P., **1902**, 68.

Denison, *R. B.* See *Bertram D.* **Steele**.

Divers, *Edward*, and *Masataka* **Ogawa**, preparation of sulphamide from ammonium amidosulphite, T., 504; P., **1902**, 71.

Dixon, *Augustus Edward*, the action of phosphorus thiocyanate on alcohol, T., 168; P., **1901**, 260.

—— the action of metallic thiocyanates on carbonyl chloride, P., **1902**, 246.

Dobbie, *James Johnstone*, and *Alexander* **Lauder**, corydaline. Part VII. The constitution of corydaline, T., 145; P., **1901**, 252.

—— —— the relationships of corydaline to berberine; berberidic acid, T., 157; P., **1901**, 255.

Dobbie, *James Johnstone*. See also *Walter Noel* **Hartley**.

Donnan, *Frederick George*, and *Henry* **Bassett**, *jun.*, [and, in part, *Charles James John* **Fox**], the colour changes exhibited by the chlorides of cobalt and some other metals, from the standpoint of the theory of electroaffinity, T., 939; P., **1902**, 164.

Donnan, *Frederick George*. See also *Edward Charles Cyril* **Baly**.

Dowzard, *Edwin*, the estimation of strychnine and brucine in nux vomica, P., **1902**, 220.

Dyson, *Gibson*, and *Arthur* **Harden**, the combination of carbon monoxide with chlorine under the influence of light, P., **1902**, 191; discussion, P., 191.

E.

Easterfield, *Thomas Hill*. See *William Hobson* **Mills**.

Eyre, *John Vargas*. See *Raphael* **Meldola**.

F.

Farmer, *Robert Crosbie*. See *Percy Faraday* **Frankland**.

Fenton, *Henry John Horstman*, a reagent for the identification of carbamide and of certain other nitrogen compounds, P., **1902**, 243; discussion, P., 244.

Fenton, *Henry John Horstman*, and *John Henry* **Ryffel**, mesoxalic semi-aldehyde, T., 426; P., **1902**, 54.

Findlay, *Alexander*, the solubility of mannitol, picric acid, and anthracene, T., 1217; P., **1902**, 172.

Forster, *Martin Onslow*, studies in the camphane series. Part VII. Conversion of hydroxycamphene into β-halogen derivatives of camphor, T., 264; P., **1902**, 25.

—— studies in the camphane series. Part IX. Comparison of bromonitrocamphane with bromonitrocamphor, T., 865; P., **1902**, 116.

—— β-bromocamphor, P., **1901**, 245.

—— benzylidenecamphoroxime, P., **1902**, 90.

—— the constitution of enolic benzoylcamphor, P., **1902**, 237.

—— on the isomeric benzoyl derivatives from isonitrosocamphor, P., **1902**, 238.

Forster, *Martin Onslow*, and *E. A.* **Jenkinson**, $\alpha\alpha$-benzoylnitrocamphor and $\alpha\alpha$-benzoyliodocamphor, P., **1902**, 117.

Forster, *Martin Onslow*, and (*Miss*) *Frances M. G.* **Micklethwait,** studies in the camphane series. Part VI. Stereoisomeric halogen derivatives of α-benzoylcamphor, T., 160; P., **1901,** 257.

—— —— studies in the camphane series. Part IV. *m*-Nitrobenzoylcamphor, T., 406; P., **1902,** 55.

Fortey, (*Miss*) *Emily C.* See *Sydney* **Young.**

Fox, *Charles James John.* See *Frederick George* **Donnan.**

Francis, *Francis Ernest*, isomeric additive compounds of dibenzyl ketone and deoxybenzoin with benzylidene-*p*-toluidine, *m*-nitrobenzylideneaniline, and benzylidene-*m*-nitroaniline, T., 441; P., **1902,** 53; discussion, P., 53.

Francis, *Francis Ernest*, and *Ernest Bowman* **Ludlam,** isomeric additive products of methyl, ethyl, and propyl benzyl ketones with benzylideneaniline, T., 956; P., **1902,** 132.

Frankland, *Sir Edward*, memorial lecture on (Armstrong), P., **1901,** 193.

Frankland, *Percy Faraday*, and *Robert Crosbie* **Farmer,** liquid nitrogen peroxide as a solvent, P., **1902,** 47.

Frankland, *Percy Faraday*, *Henry Leonard* **Heathcote,** and *Clarence James* **Green,** the nitration of diethyl monobenzoyl and mono-*p*-toluoyl tartrates, P., **1902,** 251.

Frankland, *Percy Faraday*, *Henry Leonard* **Heathcote,** and (*Miss*) *Hilda Jane* **Hartle,** nitrotartaric acid and some of its ethereal salts, P., **1902,** 250.

Fyffe, *William Alexander.* See *James* **Walker.**

G.

Garrett, *Frederic Charles*, and *John Armstrong* **Smythe,** the bases contained in Scottish shale oil, T., 449; P., **1900,** 190; **1902,** 47.

Gawler, *R.* See *Harry Medforth* **Dawson.**

Gilbert, *Sir Joseph Henry*, obituary notice of, T., 625.

Gilbody, *Alexander William*, and *William Henry* **Perkin,** *jun.*, brazilin and hæmatoxylin. Part IV. The oxidation of trimethylbrazilin with chromic acid, T., 1040; P., **1899,** 27; **1900,** 105.

Gilbody, *Alexander William*, and *Charles Henry Graham* **Sprankling,** influence of the methyl group on ring formation, T., 787; P., **1900,** 224.

Glendinning, *Tom Aldrich.* See *Horace T.* **Brown.**

Goodwin, *William.* See *Alfred* **Senier.**

Gostling, (*Miss*) *Mildred*, the action of acids on cellulose, P., **1902,** 250.

Grant, *F. E.* See *Harry Medforth* **Dawson.**

Green, *Clarence James.* See *Percy Faraday* **Frankland.**

H.

Hall, *Alfred Daniel*, and *Francis Joseph* **Plymen,** the determination of available plant food in soils by the use of weak acid solvents, T., 117; P., **1901,** 239, 265; discussion, P., 240.

Hall, *Alfred Daniel*, and *Edward John* **Russell,** a method for determining small quantities of carbonates, T., 81; P., **1901,** 241.

Hann, *Archie Cecil Osborn.* See *Arthur* **Lapworth.**

Harcourt, *Augustus George Vernon.* See *Andrea* **Angel.**

Harden, *Arthur*, and *William John* **Young,** glycogen from yeast, T., 1224; P., **1902,** 182.

Harden, *Arthur.* See also *Gibson* **Dyson.**

Hartle, (*Miss*) *Hilda Jane.* See *Percy Faraday* **Frankland.**

Hartley, *Walter Noel*, the absorption spectra of metallic nitrates, T., 556; P., **1902,** 67, 239.

—— composition of brittle platinum, P., **1902,** 30.

Hartley, *Walter Noel*, *James Johnstone* **Dobbie,** and *Alexander* **Lauder,** the absorption spectra of phloroglucinol and some of its derivatives, T., 929; P., **1902,** 171.

Harvey, *Alfred William*, and *Arthur* **Lapworth,** sulphocampholenecarboxylic acid, P., **1902,** 142.

Harvey, *Alfred William.* See also *Arthur* **Lapworth.**

Heathcote, *Henry Leonard.* See *Percy Faraday* **Frankland.**

Henderson, *George Gerald*, and *David* **Prentice,** the influence of certain acidic oxides on the specific rotations of lactic acid and potassium lactate, T., 658; P., **1902,** 88.

Hewitt, *John Theodore*, and *Samuel James Manson* **Auld,** the relationship between the orientation of substituents in, and the constitution of, benzeneazo-α-naphthol, T., 171; P., **1901,** 264.

—— —— the action of substituting agents on benzeneazo-β-naphthol, T., 1202; P., **1902,** 180.

Hewitt, *John Theodore*, and *T. S.* **Moore,** a modification of Zeisel's method for the estimation of methoxyl groups, T., 318; P., **1902,** 8.

Hewitt, *John Theodore*, and *John N.* **Tervet**, oxonium salts of fluoran and its derivatives, T., 663; P., **1902**, 86.

Hewitt, *John Theodore*, *Alfred John* **Turner**, and *Sidney Wallace* **Bradley**, the condensation of dimethylaminobenzaldehyde with β-naphthol, T., 1207; P., **1902**, 181.

Hewitt, *John Theodore*, and *Alfred William George* **Woodforde**, bromonitro-derivatives of fluorescein, T., 893; P., **1902**, 128.

Hoff, *Jacobus Henricus van't*, the Raoult memorial lecture, T., 969; P., **1902**, 81.

Horton, *Edward*. See *Henry Edward* **Armstrong**.

Hunter, *Albert Edward*. See *Frederic Stanley* **Kipping**.

I.

Innes, *William Ross*, the influence of temperature on association in benzene solution, and the value of the molecular rise of boiling point for benzene at different temperatures, T., 682; P., **1902**, 26; discussion P., 28.

J.

Jeffers, *Ernest Haynes*. See *Leonard Temple* **Thorne**.

Jenkinson, *E. A.* See *Martin Onslow* **Forster**.

Jones, *Humphrey Owen*, the displacement of benzyl by methyl in substituted nitrogen compounds, P., **1901**, 205.

Jones, *Humphrey Owen*, and *Owen Willans* **Richardson**, the decomposition of oxalacetic acid phenylhydrazone in aqueous and acid solutions, and a new method of determining the concentration of hydrogen ions, T., 1140; P., **1902**, 140.

—— —— the dissociation constants of oxalacetic acid and its phenylhydrazone, T., 1158; P., **1902**, 141.

Jowett, *Hooper Albert Dickinson*, and *Charles Etty* **Potter**, the constituents of commercial chrysarobin, T., 1575; P., **1902**, 191.

K.

Kipping, *Frederic Stanley*, resolution of trimethylhydrindonium hydroxide into its optically active components, T., 275; P., **1902**, 33.

Kipping, *Frederic Stanley*, resolution of methylbenzylacetic acid into its optical isomerides, P., **1902**, 33.

—— *d*-methylhydrindone; the formation of oximes, hydrazones, and semicarbazones, P., **1902**, 34.

—— isomeric partially racemic salts containing quinquevalent nitrogen. Part VIII. Resolution of the hydrindamine bromocamphorsulphonates, P., **1902**, 209.

—— isomeric compounds of the type $NR_1R_2H_2$, P., **1902**, 211.

Kipping, *Frederic Stanley*, and *Albert Edward* **Hunter**, the resolution of pheno-α-aminocycloheptane into its optical isomerides. Tartrates of pheno-α-aminocycloheptane and of hydrindamine, T., 574; P., **1902**, 60.

L.

Lander, *George Druce*, synthesis of imino-ethers. *N*-Arylbenziminoethers, T., 591; P., **1902**, 72.

Lapworth, *Arthur*, and *Archie Cecil Osborn* **Hann**, derivatives of *n*- and *iso*-butyrylpyruvic acids, T., 1485; P., **1902**, 141.

—— —— optically active esters of β-ketonic and β-aldehydic acids. Part I. Menthyl formylphenylacetate, T., 1491; P., **1902**, 144.

—— —— optically active esters of β-ketonic and β-aldehydic acids. Part II. Menthyl acetoacetate, T., 1499; P., **1902**, 145.

—— —— the mutarotation of camphorquinonehydrazone and mechanism of simple desmotropic change, T., 1508; P., **1902**, 143, 146.

Lapworth, *Arthur*, and *Alfred William* **Harvey**, derivatives of α-aminocamphoroxime, T., 549; P., **1902**, 70.

Lapworth, *Arthur*, and *Walter Henry* **Lenton**, the constitution of the acids obtained from α-dibromocamphor, T., 17; P., **1901**, 148.

—— —— optically active methylbenzylacetic acid, P., **1902**, 35.

Lauder, *Alexander*. See *James Johnstone* **Dobbie**, and *Walter Noel* **Hartley**.

Leather, *John Walter*, the sampling of soils, T., 883; P., **1902**, 125; discussion, P., 125.

—— some excessively saline Indian well waters, T., 887; P., **1902**, 127; discussion, P., 128.

Lees, *Frederic Herbert*, methyl β-methylhexyl ketone, T., 1594; P., **1902**, 193.

Lees, *Frederic Herbert,* interaction of ketones and aldehydes with acid chlorides; the formation of benzoxyolefines and 1-benzoxycamphene, P., **1902,** 213.

Lees, *Frederic Herbert.* See also *Frederick Belding* **Power.**

Lenton, *Walter Henry.* See *Arthur* **Lapworth.**

Le Sueur, *Henry Rondel.* See *Arthur William* **Crossley.**

Lewis, *Edward Watkin,* tribromophenol bromide (dibromobenzene ketodibromide), T., 1001; P., **1902,** 177.

Lidbury, *Frank Austin.* See *David Leonard* **Chapman.**

Lowry, *Thomas Martin.* See *Henry Edward* **Armstrong.**

Ludlam, *Ernest Bowman,* the preparation of mixed ketones by heating the mixed calcium salts of organic acids, T., 1185; P., **1902,** 132.

—— a simple form of Landsberger's apparatus for determining the boiling point of solutions, T., 1193; P., **1902,** 180.

Ludlam, *Ernest Bowman.* See also *Francis Ernest* **Francis.**

Lumsden, *John S.,* solubilities of the calcium salts of the acetic series, T., 350; P., **1902,** 31.

—— the equilibrium between a solid and its saturated solution at various temperatures, T., 363; P., **1902,** 31.

M.

McCrae, *John,* di-sec.-octyl tartrate and di-sec.-octyl dibenzoyltartrate, T., 1221; P., **1902,** 182.

McKenzie, *Alexander,* the resolution of β-hydroxybutyric acids into its optically active components, T., 1402; P., **1901,** 213; **1902,** 185.

Madan, *Henry George,* obituary notice of, T., 628.

Mallet, *Frederic Richard,* isometric anhydrous sulphates of the form $M''SO_4$, R'_2SO_4, T., 1546; P., **1902,** 198.

Marsh, *James Ernest,* the stereochemical formulæ of benzene, T., 961; P., **1902,** 164.

—— the constitution of metallic cyanides, P., **1902,** 248; discussion, P., 248.

Marsh, *James Ernest,* and *R. de J. Fleming* **Struthers,** auto-reduction of mercury and silver cyanides, P., **1902,** 249.

Marshall, *Charles Robertshaw,* and *John Harrison* **Wigner,** constitution of certain organic nitrates, P., **1902,** 32.

Martin, *Geoffrey,* is argon an elementary substance? P., **1901,** 259.

Meldola, *Raphael,* and *John Vargas* **Eyre,** elimination of a nitro-group on diazotisation. Dinitro-*p*-anisidine and derivatives, T., 988; P., **1902,** 160.

Mellor, *Joseph William,* the union of hydrogen and chlorine. V. The action of light on chlorine gas, T., 1280; P., **1902,** 169.

—— the union of hydrogen and chlorine. VI. The period of induction, T., 1292; P., **1902,** 170.

Mellor, *Joseph William,* and *W. R.* **Anderson,** the union of hydrogen and chlorine. Part IV. The Draper effect, T., 414; P., **1902,** 32.

Mellor, *Joseph William,* and *Edward John* **Russell,** the preparation of pure chlorine and its behaviour towards hydrogen, T., 1272; P., **1902,** 166.

Menzies, *Alan W. Cranbrook,* the sensitiveness of a thermoregulator, P., **1902,** 10.

Micklethwait, (*Miss*) *Frances M. G.* See *Martin Onslow* **Forster.**

Miller, *Norman Harry John,* the amounts of nitrogen, as ammonia and as nitric acid, and of chlorine in the rain-water collected at Rothamsted. Report to the Lawes Trust Committee, P., **1902,** 88.

—— the amounts of nitrogen, as nitrates, and chlorine in the drainage through uncropped and unmanured land. Report to the Lawes Trust Committee, P., **1902,** 89.

Mills, *William Hobson,* and *Thomas Hill* **Easterfield,** derivatives of dibenzoylmesitylene, T., 1311; P., **1902,** 167.

Moir, *James,* cyanohydroxypyridine derivatives from diacetonitrile; new derivatives of ψ-lutidostyril, T., 100; P., **1901,** 69.

—— di-indigotin, P., **1902,** 194.

Moody, *Herbert R.* See *Samuel Auchmuty* **Tucker.**

Moore, *T. S.* See *John Theodore* **Hewitt.**

Morgan, *Gilbert Thomas,* influence of substitution on the formation of diazoamines and aminoazo-compounds, T., 86; P., **1901,** 236; discussion, P., 238.

—— influence of substitution on the reactivity of the aromatic *m*-diamines, T., 650; P., **1902,** 87.

Morgan, *Gilbert Thomas,* [and, in part, with *George Marshall* **Norman**], influence of substitution on the formation of diazoamines and aminoazo-compounds, T., 1376; P., **1902,** 185.

Morrell, *Robert Selby*, and *James Murray* **Crofts**, action of hydrogen peroxide on carbohydrates in the presence of ferrous sulphate, III., T., 666; P., **1902**, 55.

N.

Neville, *Allen*. See *William Jackson* **Pope**.
Nicoll, *Frank*. See *John Cannell* **Cain**.
Norman, *George Marshall*. See *Gilbert Thomas* **Morgan**.

O.

Ogawa, *Masataka*. See *Edward* **Divers**.
Orton, *Kennedy Joseph Previte*, the nitration of *s*-trihalogen anilines, T., 490; P., **1902**, 58.
—— some *s*-chlorobromonitroanilines and their derivatives, T., 495; P., **1902**, 59.
—— the nitration of *s*-trihalogen acetanilides, T., 500; P., **1902**, 73.
—— the preparation of highly substituted nitroaminobenzenes, T., 806; P., **1902**, 111.
—— the action of chlorine and bromine on nitroaminobenzenes. Part I. *s*-Trisubstituted chloronitroaminobenzenes, T., 965; P., **1902**, 174.
—— interchange of halogen for hydroxyl in chloro- and bromo-naphthalenediazonium hydroxides, P., **1902**, 252.
Orton, *Kennedy Joseph Previte*. See also *Frederick Daniel* **Chattaway**.

P.

Patterson, *Thomas S.*, the influence of solvents on the rotation of optically active compounds. Part III. Influence of benzene, toluene, *o*-xylene, *m*-xylene, *p*-xylene and mesitylene on the rotation of ethyl tartrate, T., 1097; P., **1902**, 133.
—— the influence of solvents on the rotation of optically active compounds. Part IV. Influence of naphthalene on the rotation of ethyl tartrate, T., 1134; P., **1902**, 133.
Pavlíček, *František*. See *Bohuslav* **Brauner**.
Perkin, *Arthur George*, myricetin. Part II., T., 203; P., **1902**, 11.
—— robinin, violaquercetin, myrticolorin, and osyritrin, T., 473; P., **1901**, 87; **1902**, 58.
—— notes on luteolin and apigenin, T., 1174; P., **1902**, 180.
—— quercetagetin, P., **1902**, 75.
Perkin, *Arthur George*, on the destructive distillation of ethyl gallate, P., **1902**, 254.
Perkin, *Arthur George*, and *John Raymond* **Allison**, rhamnazin and rhamnetin, T., 469; P., **1900**, 181.
Perkin, *Arthur George*, and *Samuel Henry Clifford* **Briggs**, the colouring matters of green ebony, T., 210; P., **1902**, 11.
Perkin, *Arthur George*, and *Alec Bowring* **Steven**, purpurogallin, P., **1902**, 74, 253.
Perkin, *Arthur George*, and *Edward John* **Wilkinson**, colouring matter from the flowers of *Delphinium Consolida*, T., 585; P., **1900**, 182.
Perkin, *Arthur George*, and *Charles Richard* **Wilson**, a reaction of some phenolic colouring matters, II., P., **1902**, 215.
Perkin, *Arthur George*, and *E.* **Yoshitake**, constituents of *Acacia* and *Gambier Catechus*. Part I., T., 1160; P., **1902**, 139.
Perkin, *William Henry*, the magnetic rotation of some polyhydric alcohols, hexoses, and saccharobioses, T., 177; P., **1901**, 256.
—— magnetic rotation of ring compounds: camphor, limonene, carvene, pinene, and some of their derivatives, T., 292; P., **1902**, 28.
Perkin, *William Henry, jun.*, on brazilic acid and the constitution of brazilin, T., 221; P., **1899**, 27; **1900**, 106; **1901**, 257.
—— αα-dimethylglutaconic acid and the synthesis of isocamphoronic acid, T., 246; P., **1900**, 214.
—— brazilin and hæmatoxylin. Part IV. On dimethoxycarboxybenzoylformic acid, brazilinic acid, &c., T., 1008; P., **1902**, 147.
—— brazilin and hæmatoxylin. Part VI. The oxidation of tetramethylhæmatoxylin with chromic acid, T., 1057; P., **1899**, 27.
—— action of nitric acid on methyl dimethylacetoacetate, P., **1901**, 204.
Perkin, *William Henry, jun.*, and (*Miss*) *Alice E.* **Smith**, the synthesis of αα-dimethylglutaric acid, of β-hydroxy-αα-dimethylglutaric acid, and of the *cis*- and *trans*-modifications of αα-dimethylglutaconic acid, P., **1902**, 214.
Perkin, *William Henry, jun.*, and *J.* **Yates**, brazilin and hæmatoxylin. Part III. The constitution of hæmatoxylin, T., 235; P., **1899**, 27, 75, 241; **1900**, 107; **1901**, 257.

Perkin, *William Henry, jun.* See also *Alexander William* **Gilbody.**

Perman, *Edgar Philip*, the influence of salts and other substances on the vapour pressure of aqueous ammonia solution, T., 480; P., **1901**, 261.

Peters, *Harold*, iodonium compounds of the type IR'R''R''', and the configuration of the iodine atom, T., 1350; P., **1902**, 184.

Pickard, *Robert Howson*, *Charles* **Allen**, *William Audley* **Bowdler**, and *William* **Carter**, hydroxyoxamides, II., T., 1563; P., **1902**, 197.

Plymen, *Francis Joseph.* See *Alfred Daniel* **Hall.**

Pope, *William Jackson*, and *Allen* **Neville**, asymmetric optically active selenium compounds and the sexavalency of selenium and sulphur. *d*- and *l*-Phenylmethylselenetine salts, T., 1552; P., **1902**, 198.

Potter, *Charles Etty.* See *Hooper Albert Dickinson* **Jowett.**

Power, *Frederick Belding*, and *Frederic Herbert* **Lees**, the constituents of the essential oil of *Asarum canadense*, T., 59; P., **1901**, 210; discussion, P., 211.

—— —— the constituents of an essential oil of rue, T., 1585; P., **1902**, 192.

Power, *Frederick Belding*, and *Frank* **Shedden**, derivatives of gallic acid, T., 73; P., **1901**, 242.

Prentice, *David.* See *George Gerald* **Henderson.**

R.

Randall, *William B.*, obituary notice of, T., 629.

Raoult, *François Marie*, memorial lecture on, (VAN'T HOFF), T., 969; P., **1902**, 81.

Rây, *Prafulla Chandra*, dimercurammonium nitrite and its haloid derivatives, T., 644; P., **1901**, 96; **1902**, 85.

Report of the Lawes Trust Committee, on the amounts of nitrogen, as ammonia and as nitric acid, and of chlorine in the rain-water collected at Rothamsted, P., **1902**, 88.

Report of the Lawes Trust Committee, on the amounts of nitrogen, as nitrates, and chlorine in the drainage through uncropped and unmanured land, P., **1902**, 89.

Reynolds, *James Emerson*, presidential address, T., 609; P., **1902**, 77.

—— the relations of the elements, T., 612.

Reynolds, *James Emerson*, and *Emil Alphonse* **Werner**, the "dynamic isomerism" of thiourea and ammonium thiocyanate, P., **1902**, 207.

Richardson, *Owen Willans.* See *Humphrey Owen* **Jones.**

Robertson, *P. W.*, atomic and molecular heats of fusion, T., 1233; P., **1902**, 131.

Robertson, *William*, the action of nitric acid on bromophenolic compounds, T., 1475; P., **1902**, 189; discussion, P., 190.

Rosenheim, *Otto*, the decomposition of compounds of selenium and tellurium by moulds and its influence on the biological test for arsenic, P., **1902**, 138.

Ruhemann, *Siegfried*, condensation of phenols with esters of unsaturated acids. Part VII., T., 419; P., **1902**, 45.

—— the action of ethyl chlorofumarate on monoalkylmalonic esters, T., 1212; P., **1902**, 181.

Ruhemann, *Siegfried*, and *Henry Ernest* **Stapleton**, tetrazoline. Part II., T., 261; P., **1902**, 30.

Russell, *Edward John*, and *Norman* **Smith**, non-existence of the gaseous sulphide of carbon described by Deninger, T., 1538; P., **1902**, 197.

Russell, *Edward John.* See also *Alfred Daniel* **Hall**, and *Joseph William* **Mellor.**

Rutherford, *E.*, and *Frederick* **Soddy**, the radioactivity of thorium compounds. I. An investigation of the radioactive emanation, T., 321; P., **1902**, 2; discussion, P., 5.

—— —— the radioactivity of thorium compounds. II. The cause and nature of radioactivity, T., 837; P., **1902**, 120.

—— —— on the condensation points of the thorium and radium emanations, P., **1902**, 219.

Ryffel, *John Henry.* See *Henry John Horstman* **Fenton.**

S.

Scott, *Alexander*, atomic weight of tellurium, P., **1902**, 112.

Senier, *Alfred*, and *William* **Goodwin**, the action of methylene diiodide on aryl- and naphthyl-amines. Diarylmethylenediamines, acridines, and naphthacridines, T., 280; P., **1902**, 12.

Senier, *Alfred*, and *Thomas* **Walsh**, the polymerisation of cyanic acid: cyanuric acid, and cyamelide, T., 290; P., **1902**, 13.

Shaw, *Saville*, obituary notice of, T., 630.

Shedden, *Frank*. See *Frederick Belding* **Power**.

Shelton, *H. S.*, the molecular condition of borax in solution, P., **1902**, 169.

Silberrad, *Oswald*, polymerisation products from diazoacetic acid, T., 598; P., **1902**, 44.

Simpson, *Maxwell*, obituary notice of, T., 631.

Smith, (*Miss*) *Alice E.* See *William Henry* **Perkin**, *jun.*

Smith, *Clarence*, studies in the tetrahydronaphthalene series. I. The diazoamino-compounds of *ar*-tetrahydro-β-naphthalene, T., 900; P., **1902**, 137; discussion, P., 138.

Smith, *Norman*. See *Edward John* **Russell**.

Smythe, *John Armstrong*. See also *Frederic Charles* **Garrett**.

Soddy, *Frederick*, the radioactivity of uranium, T., 860; P., **1902**, 121.

Soddy, *Frederick*. See also *E.* **Rutherford**.

Sodeau, *William Horace*, the decomposition of chlorates. Part V. Potassium chlorate in presence of oxides of manganese, and the theory of perchlorate formation, T., 1066; P., **1902**, 136; discussion, P., 136.

Spivey, *William Thomas Newton*, obituary notice of, T., 635.

Sprankling, *Charles Henry Graham*, note on the localisation of phosphates in the sugar cane, T., 1543; P., **1902**, 196.

Sprankling, *Charles Henry Graham*. See also *William Arthur* **Bone**, and *Alexander William* **Gilbody**.

Stapleton, *Henry Ernest*. See *Siegfried* **Ruhemann**.

Steele, *Bertram D.*, an accurate method of measuring the compressibilities of vapours, T., 1076; P., **1902**, 165.

Steele, *Bertram D.*, and *R. B.* **Denison**, the transport number of very dilute solutions, T., 456; P., **1902**, 29.

Steven, *Alec Bowring*. See *Arthur George* **Perkin**.

Stevens, *Henry Potter*, thiocarbamide hydrochloride, T., 79; P., **1901**, 210.

Struthers, *R. de J. Fleming*. See *James Ernest* **Marsh**.

Stubbs, *George*. See *Thomas Edward* **Thorpe**.

T.

Taylor, *Robert Llewellyn*, hypoiodous acid, P., **1902**, 72.

Tervet, *John N.* See *John Theodore* **Hewitt**.

Thompson, *J. T.* See *Julius Berend* **Cohen**.

Thorne, *Leonard Temple*, and *Ernest Haynes* **Jeffers**, purification of hydrochloric acid from arsenic, P., **1902**, 118.

Thorpe, *Jocelyn Field*, and *William John* **Young**, the γβ-dimethylglutaric acids, and the separation of *cis* and *trans*-forms of substituted glutaric acids, P., **1902**, 247.

Thorpe, *Thomas Edward*, and *George* **Stubbs**, taxine, T., 874; P., **1902**, 123; discussion, P., 124.

Tickle, *Thomas*, and *John Norman* **Collie**, some hydroxypyrone derivatives, T., 1004; P., **1902**, 170.

Tilden, *William Augustus*, and *Harry* **Burrows**, the constitution of limettin, T., 508; P., **1901**, 216.

—— —— some new derivatives of pinene and other terpenes, P., **1902**, 161.

Titherley, *Arthur Walsh*, the action of sodamide and acyl-substituted sodamides on organic esters, T., 1520; P., **1902**, 186.

Travers, *Morris William*. See *Emil* **Burkard**.

Tucker, *Samuel Auchmuty*, and *Herbert R.* **Moody**, the production of hitherto unknown metallic borides, T., 14; P., **1901**, 129.

Turner, *Alfred John*. See *John Theodore* **Hewitt**.

W.

Wade, *John*, the constitution of the metallic cyanides as deduced from their synthetic interactions; the constitution of hydrogen cyanide, T., 1596; P., **1902**, 65.

Wadmore, *John Mello*. See *Frederick Daniel* **Chattaway**.

Walker, *James*, the state of carbon dioxide in aqueous solution, P., **1902**, 246.

—— qualitative separation of arsenic, antimony and tin, P., **1902**, 246; discussion, P., 246.

Walker, *James*, and *William Alexander* **Fyffe**, the hydrates and solubility of barium acetate, P., **1902**, 246; discussion, P., 247.

Walker, *J. W.*, the catalytic racemisation of amygdalin, P., **1902**, 198.

Walsh, *Thomas*. See *Alfred* **Senier**.

Werner, *Emil Alphonse*. See *James Emerson* **Reynolds**.

West, *Charles Alfred*, phosphorus tetroxide, T., 923; P., **1902**, 138.
Wheeler, *Richard V.* See *William Arthur* **Bone**.
Whiteley, (*Miss*) *Martha Annie*, the oxime of mesoxamide and some allied compounds. Part II. Disubstituted derivatives, P., **1902**, 212.
—— the action of barium hydroxide on dimethylvioluric acid, P., **1902**, 220.
Wigner, *John Harrison*. See *Charles Robertshaw* **Marshall**.
Wilkinson, *Edward John*. See *Arthur George* **Perkin**.
Wilson, *Charles Richard*. See *Arthur George* **Perkin**.
Woodforde, *Alfred William George*. See *John Theodore* **Hewitt**.

Y.

Yates, J. See *William Henry* **Perkin**, *jun.*
Yoshitake, *E.* See *Arthur George* **Perkin**.
Young, *Sydney*, the preparation of absolute alcohol from strong spirit, T., 707; P., **1902**, 104.
Young, *Sydney*, the vapour pressures and boiling points of mixed liquids. Parts I. and III., T., 768; P., **1902**, 107, 218.
—— correction of the boiling points of liquids from observed to normal pressure, T., 777; P., **1902**, 108.
—— on mixtures of constant boiling point, P., **1902**, 215.
Young, *Sydney*, and (*Miss*) *Emily C.* **Fortey**, the properties of mixtures of the lower alcohols with water, T., 717; P., **1902**, 105.
—— —— the properties of mixtures of the lower alcohols with benzene and with benzene and water, T., 739; P., **1902**, 105.
—— —— fractional distillation as a method of quantitative analysis, T., 752; P., **1902**, 106.
—— —— vapour pressures and specific volumes of isopropyl isobutyrate, T., 783; P., **1902**, 108; discussion, P., 109.
—— —— the vapour pressures and boiling points of mixed liquids. Part II., P., **1902**, 216.
Young, *William John*. See *Arthur* **Harden**, and *Jocelyn Field* **Thorpe**.

INDEX OF SUBJECTS.

TRANSACTIONS. 1902.

(Marked T.); and also to Proceedings of the Session 1901—1902, Nos. 241 to 258, Nov., 1901—Dec., 1902 (marked **P.**).

A.

Acacia Catechu, constituents of (PERKIN and YOSHITAKE), T., 1160; P., **1902**, 139.

Acetanilide, *s*-trihalogen derivatives, nitration of (ORTON), T., 500; P., **1902**, 73.

2:3:4:6-*tetra*bromo-, 2:3:4-*tri*bromo-6-nitro-, and *s*-chlorobromonitro-derivatives (ORTON), T., 497; P., **1902**, 59.

isomeric chloro-derivatives, from acetylchloroaminobenzenes (CHATTAWAY and ORTON), P., **1902**, 200.

2:4- and 4:2-chlorobromo- (CHATTAWAY and WADMORE), T., 987; P., **1902**, 173.

Acetic acid, dissociation and molecular complexity of, in chloroform solution (DAWSON), T., 521; P., **1902**, 69.

Acetic acid, barium salt, solubility and hydrates of (WALKER and FYFFE), P., **1902**, 246.

cupric salt, action of heat on (ANGEL and HARCOURT), T., 1385; P., **1902**, 185.

mercury salts, action of, on acetylene (BURKARD and TRAVERS), T., 1270; P., **1902**, 183.

Acetic acid, ethyl ester, action of sodamide and its acyl derivatives on (TITHERLEY), T., 1527; P., **1902**, 187.

Acetic acid, cyano-, ethyl ester, action of ethyl bromotrimethylsuccinate on the sodium derivative of (BONE and SPRANKLING), T., 52; P., **1901**, 243.

Acetoacetic acid, menthyl ester, and its copper, benzoyl, *p*-nitrophenylhydrazide, and semicarbazide derivatives (LAPWORTH and HANN), T., 1501; P., **1902**, 145.

Acetone, action of sodamide on (TITHERLEY), T., 1526; P., **1902**, 186.

Aceto-*m*-toluidide, constitution of the products of nitration of (COHEN and DAKIN), P., **1902**, 240.

Acetyl-*p*-aminoacetophenone from diacetanilide (CHATTAWAY), P., **1902**, 173.

4-Acetylaminophenol, 2:3:6-*tri*bromo- and 6-bromo-2-nitro- (ROBERTSON), T., 1478; P., **1902**, 190.

Acetyl-*o*-bromophenyl nitrogen chloride (CHATTAWAY and WADMORE), T., 987; P., **1902**, 174.

***p*-Acetylchloroaminoazobenzene** (CHATTAWAY), T., 982; P., **1902**, 174.

Acetylchloroaminobenzenes, transformation of, into the isomeric chloroacetanilides (CHATTAWAY and ORTON), P., **1902**, 200.

Acetylchloroamino-2:6-*di*bromo-4-nitro-, and **-2:4:6-** and **-2:6:4-chlorobromonitro-benzenes** (ORTON), T., 497; P., **1902**, 59.

Acetylchloroamino-2:4:6-*tri*bromo-3-nitro- and **-4-chloro-2:6-*di*bromo-3-nitrobenzenes** (ORTON), T., 503; P., **1902**, 74.

Acetyl-*o*-chlorophenyl nitrogen bromide (CHATTAWAY and WADMORE), T., 987; P., **1902**, 174.

Acetylene, action of, on the acetates of mercury (BURKARD and TRAVERS), T., 1270; P., **1902**, 183.

Acetyl*iso*propylbutyric acid. See **δ**-Keto-**β**-*iso*propylhexoic acid.

Acid, $C_{10}H_{18}O_3$, from the reduction of camphonic acid (LAPWORTH and LENTON), T., 22.

$C_{12}H_{14}O_5N_2$, from the action of potassium hydroxide on $C_{13}H_{16}O_5N$ (PERKIN), P., **1901**, 204.

Acid, $C_{13}H_{16}O_5N_2$, methyl ester, from the action of nitric acid on methyl dimethylacetoacetate (PERKIN), P., **1901**, 204.

$C_{16}H_{17}O_6N$, from the oxidation of corydic acid by permanganate (DOBBIE and LAUDER), T., 156.

$C_{19}H_{16}O_5N_2$, from benzidinedicarboxylic acid (MOIR), P., **1902**, 196.

Acid chlorides, interaction of, with aldehydes and ketones (LEES), P., **1902**, 213.

Acids from the oil of *Asarum canadense* (POWER and LEES), T., 72; P., **1901**, 210.

from oil of rue (POWER and LEES), T., 1589; P., **1902**, 193.

Acids of the acetic series, solubilities of the calcium salts of the (LUMSDEN), T., 350; P., **1902**, 31.

Address, congratulatory, to M. Marcellin Berthelot, P., **1901**, 250.

to the Owens College, Manchester, P., **1902**, 64.

presidential (REYNOLDS), T., 609; P., **1902**, 77.

Affinities of acids, method of determining (DAWSON and GRANT), T., 513; P., **1902**, 68.

Alcohols, lower, properties of mixtures of, with benzene, and with benzene and water (YOUNG and FORTEY), T., 739; P., **1902**, 105.

properties of mixtures of, with water (YOUNG and FORTEY), T., 717; P., **1902**, 105.

Aldehydes, interaction of, with acid chlorides (LEES), P., **1902**, 213.

β-Aldehydic acids, optically active esters of (LAPWORTH and HANN), T., 1491, 1499; P., **1902**, 144, 145.

Alkylmalonic acid, esters, action of ethyl chlorofumarate on (RUHEMANN), T., 1212; P., **1902**, 181.

Alkyltricarballylic acids, synthesis of (BONE and SPRANKLING), T., 29; P., **1901**, 215.

Aluminium, mercury couple, use of, as a halogen carrier (COHEN and DAKIN), T., 1324; P., **1902**, 183.

Amines, aromatic, action of diazonium salts on (MORGAN), T., 86, 1376; P., **1901**, 236; **1902**, 185.

primary, test for (FENTON), P., **1902**, 244.

Amino-oxime-oxalic acid and its ethyl ester (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1575.

Ammonia, influence of salts and other substances on the vapour pressure of aqueous solutions of (PERMAN), T., 480; P., **1901**, 261.

Ammonium mercuric bromide, chloride, and chlorobromide (RÂY), T., 648; P., **1902**, 85.

chloride, influence of, on the vapour pressure of aqueous ammonia solution (PERMAN), T., 485; P., **1901**, 261.

nickel chromate (BRIGGS), P., **1902**, 255

amidosulphite, preparation and decomposition of (DIVERS and OGAWA), T., 504; P., **1902**, 71.

Ammonium thiocyanate and thiocarbamide, dynamic isomerism of (REYNOLDS and WERNER), P., **1902**, 207.

thiocyanate, action of picryl chloride on, in alcoholic solution (CROCKER), T., 436; P., **1902**, 57.

Amygdalin, catalytic racemisation of (WALKER), P., **1902**, 198.

***iso*Amyl alcohol**, properties of mixtures of, with benzene, and with benzene and water (YOUNG and FORTEY), T., 749; P., **1902**, 105.

properties of mixtures of, with water (YOUNG and FORTEY), T., 733; P., **1902**, 105.

γ-Amylodextrin from the action of barley diastase on starch (BAKER), T., 1179; P., **1902**, 134.

Analysis, quantitative, fractional distillation as a method of (YOUNG and FORTEY), T., 752; P., **1902**, 106.

Anhydramides, formation of (ARMSTRONG and LOWRY), T., 1441; P., **1901**, 182.

Anhydrobrazilic acid and its oxime (PERKIN), T., 230; P., **1900**, 106; **1901**, 258.

Anhydrotetramethylhæmatoxylone and its acetyl derivative (PERKIN), T., 1062.

Anhydrotrimethylbrazilone and its acetyl derivative (PERKIN), T., 1017; (GILBODY and PERKIN), T., 1043.

Aniline, *s*-trihalogen, nitration of (ORTON), T., 490, 806; P., **1902**, 58, 111.

4-chloro-2:6-*di*bromo-3-nitro- (ORTON), T., 504; P., **1902**, 74.

s-chlorobromonitro-derivatives of, and their derivatives (ORTON), T., 495; P., **1902**, 59.

3:5-*di*nitro- (COHEN and DAKIN), T., 29; P., **1901**, 214.

β-Anilinocrotonic acid, menthyl ester (LAPWORTH and HANN), T., 1506; P., **1902**, 145.

Anilinophenylmethylenecamphoranil and its acetyl derivative (FORSTER), P., **1902**, 237.

Anilino-phosphoryl chloride and -phosphamic acid (CAVEN), T., 1366; P., **1901**, 27.

Anilino-*p*-toluidino-phosphoryl chloride and -phosphoric acid, and its ethyl ester (CAVEN), T., 1369; P., **1901**, 26.

4-Anisidine, 2:6-*di*bromo-, and its acetyl and benzoyl derivatives (ROBERTSON), T., 1479; P., **1902**, 190.

2:3-*di*nitro-, preparation, and diazotisation of (MELDOLA and EYRE), T., 988; P., **1902**, 160.

Anisole, *di*amino-, *mono-* and *di*-chloronitro-, and *di*nitro- (MELDOLA and EYRE), T., 992; P., **1902**, 160.

Annual General Meeting, T., 609; P., **1902**, 77.

Anthracene, solubility of, in benzene (FINDLAY), T., 1220; P., **1902**, 172.

Antimonious oxide, influence of, on the rotation of lactic acid and its potassium salt (HENDERSON and PRENTICE), T., 660; P., **1902**, 88.

Antimony, arsenic, and tin, separation of (WALKER), P., **1902**, 246.

Apigenin, colouring properties of (PERKIN), T., 1175; P., **1902**, 180.

Argon, is it an elementary substance? (MARTIN), P., **1901**, 259.

liquid, variation with temperature of the surface energy and density of (BALY and DONNAN), T., 907; P., **1902**, 115.

Arsenic, influence of selenium and tellurium on the biological test for (ROSENHEIM), P., **1902**, 138.

tin, and antimony, separation of (WALKER), P., **1902**, 246.

Arsenious oxide, influence of, on the rotation of lactic acid and its potassium salt (HENDERSON and PRENTICE), T., 660; P., **1902**, 88.

Arylamines, action of methylene diiodide on (SENIER and GOODWIN), T., 280; P., **1902**, 12.

Asarum canadense, constituents of the oil of (POWER and LEES), T., 59; P., **1901**, 210.

Asbestos, composition of (CLAYTON), P., **1901**, 203.

Association in benzene solution, influence of temperature on (INNES), T., 682; P., **1902**, 26.

Atomic weight of the rare earths, error of the "sulphate method" for the determination of (BRAUNER and PAVLÍČEK), T., 1248; P., **1901**, 63.

of lanthanum (BRAUNER and PAVLÍČEK), T., 1243; P., **1901**, 63.

of tellurium (SCOTT), P., **1902**, 112.

Azoacetamide, imino-, and its salts (SILBERRAD), T., 600; P., **1902**, 44.

Azoacetic acid, imino-, barium salt (SILBERRAD), T., 603; P., **1902**, 44.

Azo-compounds, amino-, from diazoamino-compounds (CHATTAWAY), P., **1902**, 175.

influence of substitution on the formation of (MORGAN), T., 86, 1376; P., **1901**, 236; **1902**, 185.

B.

Balance Sheet of the Chemical Society, and of the Research Fund, March, 1901. See Annual General Meeting, T., 622.

Barium nitrate, spectrum of (HARTLEY), T., 570; P., **1902**, 68.

Base, $C_{17}H_{21}ON$, and its picrate and benzoyl derivative from phenylchloromethylenecamphor (FORSTER), P., **1902**, 237.

$C_{17}H_{21}ON$, and its picrate and bromo-derivative from enolic benzoylcamphor (FORSTER), P., **1902**, 237.

$C_{29}H_{29}ON$, and its salts, and bromo-derivative, from the condensation of dimethylaminobenzaldehyde and β-naphthol (HEWITT, TURNER, and BRADLEY), T., 1208; P. **1902**, 181.

$C_{29}H_{25}O_2N$, and its anhydride, from the condensation of dimethylaminobenzaldehyde and β-naphthol (HEWITT, TURNER, and BRADLEY), T., 1208; P., **1902**, 181.

Bases in Scottish shale oil (GARRETT and SMYTHE), T., 449; P., **1900**, 190; **1902**, 47

Benzanilide, *o*-bromo-, 2:4-*di*bromo- and -*di*chloro-, and 2:4- and 4:2-chlorobromo- (CHATTAWAY and WADMORE), T., 985; P., **1902**, 173.

Benzene, stereochemical formulæ of (MARSH), T., 961; P., **1902**, 164.

molecular rise of boiling point of, at different temperatures (INNES), T., 683; P., **1902**, 26.

influence of, on the rotation of ethyl tartrate (PATTERSON), T., 1097; P., **1902**, 133.

Benzene, bromo- and chloro-, vapour pressures and boiling points of mixtures of (YOUNG and FORTEY), T., 771; P., **1902**, 107.

2:4:6-*tri*bromo-1-nitroamino-, and 2:4:6-*tri*chloro-1-nitroamino- (ORTON), T., 491; P., **1902**, 59.

1-chloronitroamino-2:4:6-*tri*chloro-, -2:4:6-*tri*- and -2:3:4:6-*tetra*-bromo-, and -4-chloro-2:6-*di*bromo- (ORTON), T., 966; P., **1902**, 174.

Benzene, 1:3:5-*tri*nitro-, reduction of, with hydrogen sulphide (COHEN and DAKIN), T., 26; P., **1901**, 214.
nitroamino-, action of chlorine and bromine on (ORTON), T., 965; P., **1902**, 174.
1-nitroamino-*di*-, -*tri*-, and -*tetra*-halogen- and 1-nitroamino-*di*- and -*tri*-halogennitro-, preparation of (ORTON), T., 806; P., **1902**, 111.
Benzene-5-azo-2:4- and **-4:6-*di*amino-*m*-xylene**, and their diacetyl derivatives (MORGAN), T., 94; P., **1901**, 237.
Benzeneazobromo-α-naphthol and its ethyl ether, and acetyl derivative (HEWITT and AULD), T., 174; P., **1901**, 264.
Benzene-4- and **-2-azo-2:5-** and **-4:6-*di*-chloro-*m*-phenylenediamines**, *p*-nitro- (MORGAN and NORMAN), T., 1383; P., **1902**, 185.
Benzene-3-azo-5-chloro-2:4-tolylenediamine, and **Benzene-6-azo-2-chloro-3:5-tolylenediamine** and their dibenzoyl and diacetyl derivatives (MORGAN), T., 96; P., **1901**, 237.
Benzeneazo-α-naphthol, relationship between the orientation of substituents in, and the constitution of; and its isomeric bromo-compounds and their acetyl derivatives (HEWITT and AULD), T., 171; P., **1901**, 264.
Benzeneazo-β-naphthol, action of bromine and of nitric acid on (HEWITT and AULD), T., 1202; P., **1902**, 180.
o-, *m*-, and *p*-bromo-, and their acyl derivatives (HEWITT and AULD), T., 1206; P., **1902**, 180.
Benzene-5-azo-2:4-tetramethyl*di*aminotoluene, *p*-nitro- (MORGAN), T., 656; P., **1902**, 87.
Benzene-5-azo-2:4-tolylenediamine and its diacetyl derivative (MORGAN), T., 94; P., **1901**, 237.
p-bromo-, and its acyl derivatives (MORGAN and NORMAN), T., 1384; P., **1902**, 185.
Benzene-2-diazoamino-1-chloronaphthalene, *o*- and *m*-nitro- (MORGAN), T., 1380; P., **1902**, 185.
p-nitro-, and its ethyl derivative (MORGAN), T., 99; P., **1901**, 238.
Benzenediazoaminotetrahydro-β-naphthalene, *p*-bromo-, and *o*- and *p*-nitro- (SMITH), T., 904; P., **1902**, 137.
Benzenesulphonanilide, action of sodium hypochlorite on (COHEN and THOMPSON), P., **1901**, 262.
Benzhydroxamic acid (PICKARD, ALLEN, BOWDLER, and CARTER), T. 1573.
Benzidine, formation of, from hydrazobenzene (CHATTAWAY), P., **1902**, 175.
Benzidinedimalonic acid, ethyl ester (MOIR), P., **1902**, 195.
Benzimino-ethyl ether, action of sodamide on (TITHERLEY), T., 1529.
Benzoic acid, esters, action of sodamide and its acyl derivatives on (TITHERLEY), T., 1527; P., **1902**, 187.
Benzo-1:4-pyrone. See Chromone.
***p*-Benzoyl-amino-** and **-chloroamino-azobenzene** (CHATTAWAY), T., 983; P., **1902**, 174.
4-Benzoylaminophenol, 2-bromo-6-nitro- (ROBERTSON), T., 1478; P., **1902**, 190.
Benzoyl-bromo- and **-chloro-camphors**, **αα-**, **α′α-**, and **αα′-*m*-nitro-** (FORSTER and MICKLETHWAIT), T., 409; P., **1902**, 55.
Benzoyl-*o*-bromophenyl nitrogen bromide and **chloride** (CHATTAWAY and WADMORE), T., 986; P., **1902**, 173.
Benzoylcamphor, enolic, constitution of (FORSTER), P., **1902**, 237.
enolic *o*- and *m*-nitro-, and the acetyl derivative of the *m*-compound (FORSTER and MICKLETHWAIT), T., 410; P., **1902**, 55.
α-Benzoylcamphor, stereoisomeric halogen derivatives of (FORSTER and MICKLETHWAIT), T., 160; P., **1901**, 257.
Benzoyl-*o*-chlorophenyl nitrogen bromide and **chloride** (CHATTAWAY and WADMORE), T., 984; P., **1902**, 173.
Benzoyldiphenylbenzenylamidine (LANDER), T., 594; P., **1902**, 73.
αα-Benzoyliodocamphor (FORSTER and JENKINSON), P., **1902**, 117.
αα-Benzoylnitrocamphor and nitro- (FORSTER and JENKINSON), P., **1902**, 117.
1-Benzoyloxycamphene and **Benzoyloxyolefines**, formation of (LEES), P., **1902**, 213.
Benzoyltartaric acid, ethyl ester, nitration of (FRANKLAND, HEATHCOTE, and GREEN), P., **1902**, 251.
Benzyl, displacement of, by methyl in substituted nitrogen compounds (JONES), P., **1901**, 205.
Benzyl alcohol, action of phosphorus trithiocyanate on (DIXON), T., 171; P., **1901**, 261.
β-Benzylaminocrotonic acid, menthyl ester (LAPWORTH and HANN), T., 1505; P., **1902**, 145.
Benzylcarboxyaconitic acid, ethyl ester (RUHEMANN), T., 1214; P., **1902**, 181.

Benzylideneaniline, isomeric additive products of, with benzyl methyl, ethyl, and propyl ketones (FRANCIS and LUDLAM), T., 956; P., **1902**, 132.

Benzylideneaniline, *m*-nitro-, isomeric additive compounds of, with deoxybenzoin and with dibenzyl ketone (FRANCIS), T., 441; P., **1902**, 57.

Benzylidenecamphoroxime and its benzoyl derivative, and phenylcarbamate (FORSTER), P., **1902**, 90.

Benzylidenemethyl *iso*propyl ketone and its oxime and semicarbazone (LAPWORTH and HANN), T., 1489; P., **1902**, 141.

Benzylidene-*m*-nitroaniline, isomeric additive compounds of, with deoxybenzoin and with dibenzyl ketone (FRANCIS), T., 441; P., **1902**, 57.

Benzylidene-*p*-toluidine, isomeric additive compounds of, with deoxybenzoin and with dibenzyl ketone (FRANCIS), T., 441; P., **1902**, 57.

Benzylmethylacetic acid, optically active (LAPWORTH and LENTON), P., **1902**, 35.

resolution of, into its optical isomerides (KIPPING), P., **1902**, 33.

Benzyl methyl, ethyl, and propyl ketones, preparation of (LUDLAM), T., 1186; P., **1902**, 132.

isomeric additive products of, with benzylideneaniline (FRANCIS and LUDLAM), T., 956; P., **1902**, 132.

Berberidic acid, and its oxidation products (DOBBIE and LAUDER), T., 157; P., **1901**, 255.

Berberine, relation of, to corydaline, and its oxidation product (DOBBIE and LAUDER), T., 145, 157; P., **1901**, 252, 255.

Berberonic acid (DOBBIE and LAUDER), T., 159; P., **1901**, 255.

Bisazoxyacetic acid, preparation of (SILBERRAD), T., 601; P., **1902**, 44.

Bisdiazoacetamide (SILBERRAD), T., 604; P., **1902**, 44.

Bisdiazoacetic acid, preparation of (SILBERRAD), T., 602; P., **1902**, 44.

Bisnaphtharonyl, and *tetra*nitro- (RUHEMANN), T., 423; P., **1902**, 46.

Boiling point of benzene, molecular rise of, at different temperatures (INNES), T., 683; P., **1902**, 26.

of liquids from observed to normal pressure, correction of the (YOUNG), T., 777; P., **1902**, 108.

of mixed liquids (YOUNG and FORTEY), P., **1902**, 216; (YOUNG), P., **1902**, 218.

Boiling point and vapour pressures of mixed liquids (YOUNG), T., 768; P., **1902**, 107.

of solutions, simple form of Landsberger's apparatus for determining the (LUDLAM), T., 1193; P., **1902**, 180.

Borax. See Sodium biborate.

Boric acid, influence of, on the rotation of lactic acid and its potassium salt (HENDERSON and PRENTICE), T., 662; P., **1902**, 88.

Borides, metallic, new (TUCKER and MOODY), T., 14; P., **1901**, 129.

Borneol, magnetic rotation and refraction of (PERKIN), T., 309; P., **1902**, 29.

l-**Borneol** from the oil of *Asarum canadense* (POWER and LEES), T., 63; P., **1901**, 210.

Brazilic acid and its salts, oxime, and semicarbazone (PERKIN), T., 226; P., **1899**, 28; **1900**, 106; **1901**, 258.

Brazilin, constitution of (PERKIN), T., 221, 1008, 1057; (GILBODY and PERKIN), T., 1040; P., **1899**, 27, 75, 241; **1900**, 107; **1901**, 257 **1902**, 147.

degradation of (PERKIN), P., **1902**, 147.

Brazilinic acid and its salts, methyl ester, phenylhydrazone, hydrate and tetrabromo-derivative (PERKIN), T., 1030.

Brucine, estimation of, in nux vomica (DOWZARD), P., **1902**, 220.

Butanetricarboxylic acids. See α-Methyltricarballylic acids.

iso-**Butyl alcohol**, properties of mixtures of, with benzene, and with benzene and water (YOUNG and FORTEY), T., 748; P., **1902**, 105.

properties of mixtures of, with water (YOUNG and FORTEY), T., 732; P., **1902**, 105.

tert.-**Butyl alcohol**, properties of mixtures of, with benzene, and with benzene and water (YOUNG and FORTEY), T., 746; P., **1902**, 105.

properties of mixtures of, with water (YOUNG and FORTEY), T., 729; P., **1902**, 105.

Butylenetetracarboxylic acid. See Methylcarboxyaconitic acid.

iso-**Butyric acid**, *iso*propyl ester, vapour pressures and specific volumes of (YOUNG and FORTEY), T., 783; P., **1902**, 108.

Butyrylpyruvic acids, *n*- and *iso*-, ethyl esters and salts (LAPWORTH and HANN), T., 1485; P., **1902**, 141.

C.

Calcium nitrate, spectrum of (HARTLEY), T., 569; P., **1902**, 68.

Camphane, 1:1-bromonitro-, action of phenylhydrazine on (FORSTER), T., 870; P., **1902**, 116.
comparison of, with bromonitrocamphor (FORSTER), T., 865; P., **1902**, 116.

Camphene, magnetic rotation of (PERKIN), T., 316; P., **1902**, 29.

α-Campholenic acid (FORSTER), T., 271; P., **1902**, 26.

Camphonic acid, constitution, reduction, and degradation of (LAPWORTH and LENTON), T., 18; P., **1901**, 148.

Camphononic acid, constitution of (LAPWORTH and LENTON), T., 18; P., **1901**, 148.

Camphor and its derivatives, magnetic rotation and refraction of (PERKIN), T., 292; P., **1902**, 28.
optical inversion of, and the mechanism of hetero- and meso-sulphonation, of homo- and hetero-bromination and dehydration of (ARMSTRONG and LOWRY), T., 1469.
sulphonation of (ARMSTRONG and LOWRY), T., 1441, 1462, 1469; P., **1901**, 183, 217, 244.

Camphor, **β**-bromo- (FORSTER), P., **1901**, 245.
β-bromo- and **β**-chloro-, and their oximes and benzoyl derivatives (FORSTER), T., 269; P., **1902**, **26**.
β-bromo-, **αα′β**-*tri*bromo-, and **αβ**-*di*bromo-**α′**-nitro- (ARMSTRONG and LOWRY), T., 1464; P., **1901**, 217, **244**.
α-*di*bromo-, constitution of the acids from (LAPWORTH and LENTON), T., 17; P., **1901**, 148.
αα-bromonitro-, action of alcoholic silver nitrate, and of phenylhydrazine on (FORSTER), T., 867; P., **1902**, 116.
comparison of, with bromonitrocamphane (FORSTER), T., 865; P., **1902**, 116.
β-chloro-**α**-bromo- (FORSTER), T., 273; P., **1902**, 26.
*iso*nitroso-, isomeric benzoyl derivatives from (FORSTER), P., **1902**, 238.

β-Camphoranic acid (*β-hydroxycamphoronic acid*), constitution of (LAPWORTH and LENTON), T., 21; P., **1901**, 148.

Camphorenic acid, bromo-, constitution of (LAPWORTH and LENTON), T., 18; P., **1901**, 148.

Camphoric acid, **β**-bromo-, and its methyl ester and anhydride (ARMSTRONG and LOWRY), T., 1467; P., **1901**, 217, 244.

Camphoronic acid, bromination of (LAPWORTH and LENTON), T., 25.
*iso***Camphoronic acid** (ARMSTRONG and LOWRY), T., 1468.
synthesis of (PERKIN), T., 246; P., **1900**, 214.

Camphoroxime, **α**-amino-, and its salts, dibenzoyl and benzylidene derivatives, and carbamide (LAPWORTH and HARVEY), T., 549; P., **1902**, 70.

Camphoroximephenylcarbamate, phenylcarbamide of (LAPWORTH and HARVEY), T., 554; P., **1902**, 71.

Camphorquinonephenylhydrazone (FORSTER), T., 869.
mutarotation and desmotropic forms of (LAPWORTH and HANN), T., 1508; P., **1902**, 143, 146.

Camphorsulphonanhydramide and its bromo- and chloro-derivatives (ARMSTRONG and LOWRY), T., 1448; P., **1901**, 183.

Camphorsulphonic acid (Reychler), constitution of (ARMSTRONG and LOWRY), T., 1469.
bromide, chloride, amide, anhydramide, anilide, *p*-bromoanilide, and piperidides (ARMSTRONG and LOWRY), T., 1447; P., **1901**, 182.

Camphorsulphonic acid, **α**-bromo- and **α**-chloro-, and their salts, bromides, chlorides, and amides, and anilide and piperidide of the bromo-acid (ARMSTRONG and LOWRY), T., 1451; P., **1901**, 182.

Cane sugar. See Sucrose.

Carbamide, influence of, on the vapour pressure of aqueous ammonia solution (PERMAN), T., 484; P., **1901**, 261.
See also Urea.

Carbamide, thio-. See Thiocarbamide.

Carbohydrates, action of hydrogen peroxide on, in presence of ferrous sulphate (MORRELL and CROFTS), T., 666; P., **1902**, 55.

Carbon *mon*oxide (*carbonic oxide*), variation with temperature of the density and surface energy of, and vapour pressure of (BALY and DONNAN), T., 907; P., **1902**, 115.
combination of, with chlorine, under the influence of light (DYSON and HARDEN), P., **1902**, 191.
*di*oxide, state of, in aqueous solution (WALKER), P., **1902**, 246.
sulphide, gaseous, non-existence of (RUSSELL and SMITH) T., 1538; P., **1902**, 197.

Carbonates, method of estimating small quantities of (HALL and RUSSELL), T., 81; P., **1901**, 241.
Carbonyl chloride, action of metallic thiocyanates on (DIXON), P., **1902**, 240.
Carbonyl-di-*m*-nitrophenyl- and **-di-*o*-tolyl-carbamide** (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1569.
Carbonyldi-phenyl- and **-*o*-tolyl*di*thiocarbamides** (DIXON), P., **1902**, 241.
Carbonyl*di*thiocarbamide, additive products of (DIXON), P., **1902**, 240.
Carbonylthiocarbimido-phenyl-, -phenylbenzyl-, -α-naphthyl-, and **-*p*-tolylthiocarbamides** (DIXON), P., **1902**, 241.
Carboxydimethoxybenzoylformic acid and its salts (PERKIN), T., 1022; (GILBODY and PERKIN), T., 1045.
Carboxydimethoxybenzylformic acid (PERKIN), T., 1028.
Carboxydimethoxymandelic acid, lactone of (PERKIN), T., 1026.
2-Carboxy-5:6-dimethoxyphenoxyacetic acid and its silver salt (PERKIN and YATES), T., 241; P., **1900**, 108; (PERKIN), T., 1061.
2-Carboxy-5-methoxyphenoxyacetic acid (GILBODY and PERKIN), T., 1043; P., **1902**, 148.
Carboxymethoxyphenoxylactic acid (?) (PERKIN), T., 1029; P., **1902**, 148; (GILBODY and PERKIN), T., 1043.
Carvene. See *d*-Limonene.
Catechins and their azobenzene, acetyl and benzoyl derivatives from *Acacia* and *Gambier Catechus* (PERKIN and YOSHITAKE), T., 1160; P., **1902**, 139.
Cellulose, action of acids on (GOSTLING), P., **1902**, 250.
Chlorates, decomposition of (SODEAU), T., 1066; P., **1902**, 136.
Chlorine, amount of, in the drainage through uncropped and unmanured land (MILLER), P., **1902**, 89.
amount of, in the rain-water collected at Rothamsted (MILLER), P., **1902**, 88.
preparation of pure, and its behaviour towards hydrogen (MELLOR and RUSSELL), T., 1272; P., **1902**, 166.
evolution of, from the decomposition of potassium chlorate in presence of manganese oxides (SODEAU), T., 1066; P., **1902**, 136.
combination of, with carbon monoxide under the influence of light (DYSON and HARDEN), P., **1902**, 191.
union of, with hydrogen (MELLOR and ANDERSON), T., 414; P., **1902**, 32; (MELLOR and RUSSELL), T., 1272; P., **1902**, 166; (MELLOR), T., 1280, 1292; P., **1902**, 169, 170.
Chlorine, union of, with hydrogen, under the influence of light (MELLOR and ANDERSON), T., 414; P., **1902**, 32.
gas, action of light on (MELLOR), T., 1280; P., **1902**, 169.
Chromates, double, new series of (BRIGGS), P., **1902**, 254.
Chromium boride (TUCKER and MOODY), T., 16; P., **1901**, 129.
Chromone (*benzo*-1:4-*pyrone*) and its homologues, salts of (RUHEMANN), T., 420; P., **1902**, 45.
Chrysarobin and its acetyl compounds from commercial chrysarobin (JOWETT and POTTER), T., 1578; P., **1902**, 192.
Chrysophanic acid and its acetyl derivative (JOWETT and POTTER), T., 1583; P., **1902**, 192.
Cineol from oil of rue (POWER and LEES), T., 1590; P., **1902**, 193.
Cloëz reaction (CHATTAWAY and WADMORE), P., **1902**, 56.
Cobalt chloride, colour changes of (DONNAN and BASSETT), T., 939; P., **1902**, 164.
hydroxide, action of sulphurous acid on (CARPENTER), T., 11; P., **1901**, 212.
Cobaltous potassium sulphate (MALLET), T., 1551; P., **1902**, 198.
s-**Collidine.** See 2:4:6-Trimethylpyridine.
Colour changes of cobalt, copper, and ferric chlorides (DONNAN and BASSETT), T., 939; P., **1902**, 164.
Colouring matters from the flowers of *Delphinium Consolida* (PERKIN and WILKINSON), T., 585; P., **1900**, 182.
of green ebony (PERKIN and BRIGGS), T., 210; P., **1902**, 11.
phenolic, reaction of (PERKIN and WILSON), P., **1902**, 215.
Compressibility of vapours, accurate method of measuring the (STEELE), T., 1076; P., **1902**, 165.
Conductivity of nitrobenzene solutions of iodine and potassium iodide (DAWSON and GAWLER), T., 532; P., **1902**, 70.
Copper chloride, colour changes of (DONNAN and BASSETT), T., 955; P., **1902**, 164.
sulphate, influence of, on the vapour pressure of aqueous ammonia solution (PERMAN), T., 487; P., **1901**, 261.
Corydaldine (DOBBIE and LAUDER), T., 146; P., **1901**, 252.
Corydaline and its constitution and oxidation products (DOBBIE and LAUDER), T., 145; P., **1901**, 252.

Corydaline, relation of, to berberine (DOBBIE and LAUDER), T., 145, 157; P., **1901**, 252, 255.
Corydilic acid and **Corydic acid** and their oxidation (DOBBIE and LAUDER), T., 146; P., **1901**, 252.
Coumarilic acid, *mono-* and *di*-chloro- (TILDEN and BURROWS), T., 511; P., **1901**, 217.
Crotonic acid, β-amino-, menthyl ester (LAPWORTH and HANN), T., 1505; P., **1902**, 145.
Cyamelide (SENIER and WALSH), T., 290; P., **1902**, 13.
Cyanic acid, constitution of (CHATTAWAY and WADMORE), T., 191; P., **1902**, 5.
polymerisation of (SENIER and WALSH), T., 290; P., **1902**, 13.
Cyanogen haloids, constitution and reactions of (CHATTAWAY and WADMORE), 192; P., **1902**, 5.
Cyanuric acid (SENIER and WALSH), T., 290; P., **1902**, 13.
constitution of (CHATTAWAY and WADMORE), T., 191; P., **1902**, 6.
Cyanuric acid, *tri*chloroimino- (CHATTAWAY and WADMORE), T., 200; P., **1902**, 6.

D.

Day and **hour of meeting**, discussion on, P., **1901**, 208, 235, 249, 251; **1902**, 1.
Dehydrocorydaline (DOBBIE and LAUDER), T., 145; P., **1901**, 252.
Delphinium Consolida, colouring matter of the flowers of (PERKIN and WILKINSON), T., 585; P., **1900**, 182.
Density of liquid oxygen, nitrogen, argon, and carbon monoxide, variation of, with temperature (BALY and DONNAN), T., 907; P., **1902**, 115.
of 3:5-*di*chloro-1:1-dimethyl-$\Delta^{2:4}$-dihydrobenzene (PERKIN), T., 828.
of *di*chloro-*o*-xylene (PERKIN), T., 1535.
of 1:1-dimethyl-$\Delta^{2:4}$-dihydrobenzene (PERKIN), T., 836.
See also Vapour density.
Deoxybenzoin, isomeric additive compounds of, with benzylidene-*p*-toluidine, *m*-nitrobenzylideneaniline, and benzylidene-*m*-nitroaniline (FRANCIS), T., 441; P., **1902**, 57.
Deoxytrimethylbrazilone (PERKIN), T., 1018; (GILBODY and PERKIN), T., 1046.
Dextrose (d-*glucose*, *grape sugar*), magnetic rotation of (PERKIN), T., 188; P., **1901**, 256.
Diacetanilide, transformation of, into acetyl-*p*-aminoacetophenone (CHATTAWAY), P., **1902**, 173.
Diacetanilide, 2:4:6-*tri*bromo-3-nitro- (ORTON), T., 503; P., **1902**, 73.
2:6:4-chlorobromonitro-, 2:3:4:6-*tetra*bromo-, and 2:4-*di*bromo-6-nitro- (ORTON), T., 497; P., **1902**, 59.
Diacetonitrile, preparation of, and cyano-ψ-lutidostyril derivatives from (MOIR), T., 100; P., **1901**, 69.
4:6-Diacetyl*tri*bromocoumarin (TILDEN and BURROWS), T., 510; P., **1901**, 217.
***m*-Diamines**, aromatic, influence of substitution on the reactivity of (MORGAN), T., 650; P., **1902**, 87.
tertiary, action of diazonium salts and of formaldehyde on (MORGAN), T., 656; P., **1902**, 87.
Diastase, ungerminated barley, action of, on starch (BAKER), T., 1177; P., **1902**, 134.
Diazoacetamide and ***iso*Diazoacetamide** (SILBERRAD), T., 603; P., **1902**, 44.
ψ-Diazoacetamide. See Azoacetamide, imino-.
Diazo-*p*-acetaminobenzene chloride, rate of decomposition of (CAIN and NICOLL), T., 1436; P., **1902**, 186.
Diazoacetic acid, polymerisation products from (SILBERRAD), T., 598; P., **1902**, 44.
Diazoamines, influence of substitution on the formation of (MORGAN), T., 86, 1376; P., **1901**, 236; **1902**, 185.
2-Diazoamino-1-chloronaphthalene (MORGAN), T., 98, 1381; P., **1901**, 237; **1902**, 185.
Diazoamino-compounds, transformation of, into aminoazo-compounds (CHATTAWAY), P., **1902**, 175.
Diazoaminotetrahydro-β-naphthalene (SMITH), T., 905; P., **1902**, 137.
Diazobenzene chloride, and *o*-, *m*-, and *p*-nitro-, rates of decomposition of (CAIN and NICOLL), T., 1415; P., **1902**, 186.
Diazobenzene-*p*-sulphonic acid, rate of decomposition of (CAIN and NICOLL), T., 1429; P., **1902**, 186.
Diazo-compounds, rate of decomposition of (CAIN and NICOLL), T., 1412; P., **1902**, 186, 244.
Diazogallic acid, ethyl ester (POWER and SHEDDEN), T., 77; P., **1901**, 242.
Diazonium (*benzendiazonium*) salts, action of, on aromatic amines (MORGAN), T., 86, 1376; P., **1901**, 236; **1902**, 185.
action of, on *tert.m*-diamines (MORGAN), T., 656; P., **1902**, 87.

Diazotisation of 2:3-*di*nitro-*p*-anisidine (MELDOLA and EYRE), T., 988; P., **1902**, 160.

Diazotoluene chlorides, *o*-, *m*-, and *p*-, rate of decomposition of (CAIN and NICOLL), T., 1422; P., **1902**, 186.

Dibenzoylmesitylene, preparation of, and its derivatives (MILLS and EASTERFIELD), T., 1315; P., **1902**, 167.

Dibenzoylmesitylenic acids, *s*- and *as*-, and their salts, oxidation, and rates of esterification (MILLS and EASTERFIELD), T., 1317; P., **1902**, 167.

Dibenzoyl nitrogen chloride (CHATTAWAY), P., **1902**, 165.

Dibenzoyltartaric acid, di-*sec.*octyl ester (MCCRAE), T., 1221; P., **1902**, 182.

Dibenzoyltrimesic acid and its salts (MILLS and EASTERFIELD), T., 1322; P., **1902**, 168.

Dibenzoyluvitic acids, *s*- and *as*-, and their salts (MILLS and EASTERFIELD), T., 1321; P., **1902**, 167.

Dibenzyl ketone, isomeric additive compounds of, with benzylidene-*p*-toluidine, *m*-nitrobenzylideneaniline, and benzylidene-*m*-nitroaniline (FRANCIS), T., 441; P., **1902**, 53.

Dibenzylmesitylene (MILLS and EASTERFIELD), T., 1323.

Dicarbanilinocarbanilinodixylylmethylenediamine (SENIER and GOODWIN), T., 285; P., **1902**, 12.

Dicarbanilinodiphenylmethylenediamine (SENIER and GOODWIN), T., 283; P., **1902**, 12.

Dichrysarobin and its methyl ether, and their acetyl compounds (JOWETT and POTTER), T., 1580; P., **1902**, 192.

Dihydrobrasilic acid and its lactone (PERKIN), T., 221; P., **1901**, 258.

Dihydrobrazilinic acid and *di*nitro-, lactones of (PERKIN), T., 1038; P., **1901**, 258.

Dihydrohæmatoxylinic acid, lactone of, and its salts (PERKIN and YATES), T., 244.

Dihydroresorcins, action of phosphorus haloids on (CROSSLEY and LE SUEUR), P., **1902**, 238.

s-*N*-**Dihydrotetrazinedicarboxylamide** (SILBERRAD), T., 605; P., **1902**, 44.

Dihydroxydibenzylmesitylene (MILLS and EASTERFIELD), T., 1323.

Di-indigotin (MOIR), P., **1902**, 194.

Dimethoxyanhydroglycogallol (PERKIN and WILSON), P., **1902**, 215.

Dimethoxybenzoylpropionic acid and its synthesis (PERKIN), T., 233; P., **1901**, 258.

4:6-Dimethoxycoumaric acid, disodium and disilver salts (TILDEN and BURROWS), T., 511; P., **1901**, 217.

4:6-Dimethoxycoumarilic acid, bromo-, and its potassium salt and methyl ester (TILDEN and BURROWS), T., 509; P., **1901**, 217.

4:6-Dimethoxy-α-methylcoumarin and its β-bromo- and β-hydroxy-derivatives (TILDEN and BURROWS), T., 511; P., **1901**, 217.

Dimethylacetoacetic acid, methyl ester, action of nitric acid on (PERKIN), P., **1901**, 204.

Dimethylaminobenzaldehyde, condensation of, with β-naphthol (HEWITT, TURNER, and BRADLEY), T., 1207; P., **1902**, 181.

Dimethyl*di*bromoethylacetic acid (*hexoic acid*, *dibromo-*) (PERKIN, T., 257.

αα-Dimethylbutane-αβδ-tricarboxylic acid (*hexanetricarboxylic acid*) (BONE and SPRANKLING), T., 52; P. **1901**, 244.

αα-Dimethylbutyrolactone (PERKIN, T., 257.

1:1-Dimethyl-Δ$^{2:4}$-dihydrobenzene and its oxidation products and dibromide, hydrobromide, and nitrosochloride (CROSSLEY and LE SUEUR), T., 832; P., **1901**, 245.

physical properties of (PERKIN), T., 836.

1:1-Dimethyl-Δ$^{2:4}$-dihydrobenzene, 3:5-*di*chloro-, and its oxidation (CROSSLEY and LE SUEUR), T., 826; P., **1901**, 245; **1902**, 238.

physical properties of (PERKIN), T., 828.

Dimethyldihydroresorcin (CROSSLEY and LE SUEUR), P., **1902**, 238.

action of phosphorus pentachloride on, and its hydrochloride (CROSSLEY and LE SUEUR), T., 821; P., **1901**, 245.

action of phosphorus haloids on, and its anhydride (CROSSLEY and LE SUEUR), P., **1902**, 238.

Dimethylfluoran nitrate and sulphates (HEWITT and TERVET), T., 665; P., **1902**, 86.

αα-Dimethylglutaconic acid (*pentenedicarboxylic acid*), *cis*- and *trans*-, synthesis of (PERKIN and SMITH), P., **1902**, 214.

and its oxidation and distillation, and ethyl ester (PERKIN), T., 253; P., **1900**, 214.

αα-Dimethylglutaric acid (*pentanedicarboxylic acid*), synthesis of (PERKIN and SMITH), P., **1902**, 214.

αα-Dimethylglutaric acid (*pentanedicarboxylic acid*), bromo-, ethyl ester, and the action of alcoholic potash on (PERKIN), T., 252; P., **1900**, 214.

α3-*di*bromo- (PERKIN), T., 254.

αβ-Dimethylglutaric acid (*pentanedicarboxylic acid*), *cis-* and *trans-*, separation of, and its imide and α-cyano-derivatives (THORPE and YOUNG), P., **1902**, 247.

Dimethylmalonic acid (*propanedicarboxylic acid*) (PERKIN), T., 255; P., **1900**, 214.

αβ-Dimethylpropanetricarboxylic acid (*pentanetricarboxylic acid*) (THORPE and YOUNG), P., **1902**, 248.

Dimethylpyridines, 2:4-, 2:5-, and 2:6-, from Scottish shale oil (GARRETT and SMYTHE), T., 451; P., **1900**, 190; **1902**, 47.

2:4-Dimethylpyridine, 6-amino-3-cyano- (MOIR), T., 112; P., **1901**, 69.

Dimethyltricarballylic acids (*pentanetricarboxylic acids*), **αα-** and **αγ-**, synthesis and dissociation constants of, and their cyano-derivatives, esters, and anhydro-acids (BONE and SPRANKLING), T., 29; P., **1901**, 215.

Dimethyltrimethylenedicarboxylic acid (BONE and SPRANKLING), T., 51; P., **1901**, 243.

Dimethylvinylacetic acid (*hexenoic acid*) (PERKIN), T., 256.

Dimethylvioluric acid, action of barium hydroxide on (WHITELEY), P., **1902**, 220.

Dipentene hydrochloride, magnetic rotation of (PERKIN), T., 307; P., **1902**, 29.

Diphenyliodonium bromocamphorsulphonate (PETERS), T., 1359; P., **1902**, 184.

Diphenylmethylenediamine and its platinichloride (SENIER and GOODWIN), T., 283; P., **1902**, 12.

αγ-Di*iso*propyltricarballylic acids (*nonanetricarboxylic acids*), synthesis and dissociation constants of, and their cyano-derivatives, esters, and anhydro-acids (BONE and SPRANKLING), T., 29; P., **1901**, 215.

Dissociation of acetic acid in chloroform solution (DAWSON), T., 521; P., **1902**, 69.

Dissociation constants of alkyltricarballylic acids (BONE and SPRANKLING), T., 37; P., **1901**, 215.

of oxalacetic acid and its phenylhydrazone (JONES and RICHARDSON), T., 1158; P., **1902**, 141.

Distillation, fractional, as a method of quantitative analysis (YOUNG and FORTEY), T., 752; P., **1902**, 106.

Distribution coefficient, application of, to determine the relative affinities of acids (DAWSON and GRANT), T., 513; P., **1902**, 68.

Dithionic acid, formation of (CARPENTER), T., 1; P., **1901**, 212.

Di-*p*-toluoyl nitrogen chloride (CHATTAWAY), P., **1902**, 166.

Di-*p*-tolyliodonium salts (PETERS), T., 1358; P., **1902**, 184.

Di-*o*-, -*m*-, and -*p*-tolylmethylenediamines (SENIER and GOODWIN), T., 283; P., **1902**, 12.

Dixylylmethylenediamine and its platinichloride and nitro-derivatives (SENIER and GOODWIN), T., 284; P., **1902**, 12.

Drainage water through uncropped and unmanured land, amounts of nitrogen, as nitrates, and chlorine in the (MILLER), P., **1902**, 89.

Draper effect (MELLOR and ANDERSON), T., 414; P., **1902**, 32.

E.

Earths, rare, error of the "sulphate method" for the determination of the atomic weights of the (BRAUNER and PAVLÍČEK), T., 1248; P., **1901**, 63.

Ebony, green, colouring matters of (PERKIN and BRIGGS), T., 210; P., **1902**, 11.

Electric spark, decomposition of water vapour by the (CHAPMAN and LIDBURY), T., 1301; P., **1902**, 183.

Elements, relations of the (REYNOLDS), T., 612.

Enzyme action (BROWN), T., 373; P., **1902**, 41; (BROWN and GLENDINNING), T., 388; P., **1902**, 43.

Equilibrium between a solid and its saturated solution at various temperatures (LUMSDEN), T., 363; P., **1902**, 31.

Erythritol, magnetic rotation of (PERKIN), T., 187; P., **1901**, 256.

d-**Erythronic acid**, and its salts (MORRELL and CROFTS), T., 668; P., **1902**, 55.

Ethoxyanilinophosphoric acid, barium salt (CAVEN), T., 1371.

Ethoxyanilinophosphoryl amide and chloride (CAVEN), T., 1371; P., **1901**, 26.

***p*-Ethoxyphenylsuccinamic acid** and its alkyl substituted derivatives (GILBODY and SPRANKLING), T., 789; P., **1900**, 224.

***p*-Ethoxyphenylsuccinimide.** See Pyrantin.

***p*-Ethoxysuccinanilic acid.** See *p*-Ethoxyphenylsuccinamic acid.

Ethoxy-*p*-toluidinophosphoric acid, barium salt (CAVEN), T., 1372.
Ethoxy-*p*-toluidinophosphoryl amide and chloride (CAVEN), T., 1372; P., **1902**, 26.
Ethyl alcohol, pure, preparation of, from strong spirit (YOUNG), T., 707; P., **1902**, 104.
properties of mixtures of, with benzene, and with benzene and water (YOUNG and FORTEY), T., 741; P., **1902**, 105.
properties of mixtures of, with water (YOUNG and FORTEY), T., 719; P., **1902**, 105.
action of phosphorus trithiocyanate on (DIXON), T., 168; P., **1901**, 260.
Ethylbiuret (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1572.
Ethylcarboxyaconitic acid (*penteneletracarboxylic acid*), ethyl ester (RUHEMANN), T., 1214; P., **1902**, 181.
Ethylenedicarboxylic acid. See Fumaric acid.
Ethylhydroxyoxamide and its hydroxylamine salt and acetyl derivative (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1572; P., **1902**, 197.
***i*-Ethylidenelactic acid.** See Lactic acid.
Ethylpiperonylcarboxylic anhydride, ω-amino- (DOBBIE and LAUDER), T., 159; P., **1901**, 256.
Eugenol methyl ether from the oil of *Asarum canadense* (POWER and LEES), T., 67; P., **1901**, 210.
Excoecarin and its tribenzoyl derivative and dimethyl ether (PERKIN and BRIGGS), T., 212; P., **1902**, 11.
Excoecarone (PERKIN and BRIGGS), T., 215; P., **1902**, 11.

F.

Ferric chloride, colour changes of (DONNAN and BASSETT), T., 955; P., **1902**, 164.
hydroxide, action of sulphurous acid on (CARPENTER), T., 8; P., **1901**, 212.
Flavone group, dyeing properties of some members of the (PERKIN and WILKINSON), T., 589.
Fluoran nitrate and sulphate (HEWITT and TERVET), T., 664; P., **1902**, 86.
Fluorescein hydrochloride and sulphates (HEWITT and TERVET), T., 665; P., **1902**, 86.
bromonitro-derivatives, and their diacetyl and dibenzoyl derivatives and sodium salts (HEWITT and WOODFORDE), T., 893; P., **1902**, 128.
Formaldehyde, action of, on *tert.*-*m*-diamines (MORGAN), T., 657; P., **1902**, 87.
Formylphenylacetic acid, menthyl ester (COHEN and BRIGGS), P., **1902**, 172.
and its metallic, acetyl, benzoyl, and phenylcarbamate derivatives (LAPWORTH and HANN), T., 1494; P., **1902**, 144.
Fractional distillation. See Distillation.
Fumaric acid (*ethylenedicarboxylic acid*), chloro-, ethyl ester, action of alkylmalonic esters on (RUHEMANN), T., 1212; P., **1902**, 181.
action of, on guaiacol, and on α- and β-naphthol (RUHEMANN), T., 421; P., **1902**, 45.

G.

Galactose, magnetic rotation of (PERKIN), T., 189; P., **1901**, 256.
Gallacetophenone methyl ethers (PERKIN and WILSON), P., **1902**, 215.
Gallic acid and its acetyl derivatives and their nitro-compounds, and its amino-derivatives, ethyl esters (POWER and SHEDDEN), T., 73; P., **1901**, 242.
Gallic acid, ethyl ester, destructive distillation of (PERKIN), P., **1902**, 254.
Gambier Catechu, constituents of (PERKIN and YOSHITAKE), T., 1160; P., **1902**, 139.
Gases, specific heat of (CROMPTON), P., **1902**, 188.
Geraniol from the oil of *Asarum canadense* (POWER and LEES), T., 66; P., **1901**, 210.
***d*-Glucose.** See Dextrose.
Glucosone, preparation and oxidation of (MORRELL and CROFTS), T., 666; P., **1902**, 55.
Glutaric acids, substituted, separation of the *cis*- and *trans*- forms of (THORPE and YOUNG), P., **1902**, 247.
Glycogen from yeast and its relation to oyster and rabbit glycogen (HARDEN and YOUNG), T., 1224; P., **1902**, 182.
Grape sugar. See Dextrose.
Guaiacol, action of ethyl chlorofumarate on the sodium derivative of (RUHEMANN), T., 421; P., **1902**, 45.
Guaiacoloxyfumaric acid and its ethyl ester (RUHEMANN), T., 421; P., **1902**, 45.

H.

Hæmatoxylin, constitution of (PERKIN and YATES), T., 235; (PERKIN), T., 1008, 1057; (GILBODY and PERKIN), T., 1040; P., **1899**, 27, 75, 241; **1900**, 107; **1901**, 257; **1902**, 147.

Hæmatoxylinic acid and its salts (PERKIN and YATES), T., 243; P., **1900**, 108.

Halogen group, interchange of a, for hydroxyl in bromo- and chloronaphthalenediazonium hydroxides (ORTON), P., **1902**, 252.

Heat. See Thermochemistry.

Hemipinic acid (DOBBIE and LAUDER), T., 146; P., **1902**, 252.

***m*-Hemipinic acid** (DOBBIE and LAUDER), T., 146; P., **1901**, 252; (PERKIN and YATES), T., 242; P., **1899**, 27, 241; **1900**, 107, 108; (PERKIN), T., 1025, 1062; (GILBODY and PERKIN), T., 1045.

Hexahydroxyanthraquinone. See Rufigallic acid.

Hexamethylacridine and its additive salts and bromo- and nitro-derivatives (SENIER and GOODWIN), T., 285; P., **1902**, 12.

Hexamethylethylacridinium iodide (SENIER and GOODWIN), T., 288; P., **1902**, 13.

Hexanedicarboxylic acid. See *β-iso*-Propylglutaric acid.

Hexanetricarboxylic acid. See *αα*-Dimethylbutane-*αββ*-tricarboxylic acid.

Hexenoic acid (*dimethylvinylacetic acid*) (PERKIN), T., 256.

Hexoic acid, *di*bromo-. See Dimethyl-*di*bromoethylacetic acid.

***sec.*Hexylacetoacetic acid**, ethyl ester, and its hydrolysis (LEES), T., 1594; P., **1902**, 193.

Hippurylbenzamide (TITHERLEY), T., 1532; P., **1902**, 187.

Hydrazobenzene, transformation of, into benzidine (CHATTAWAY), P., **1902**, 175.

Hydrindamine bromocamphorsulphonates, resolution of (KIPPING), P., **1902**, 209, 211.

***dl*-Hydrindamine** tartrates (KIPPING and HUNTER), T., 583; P., **1902**, 61.

Hydrochloric acid (*hydrogen chloride*), formation of (MELLOR and ANDERSON), T., 414; P., **1902**, 32; (MELLOR and RUSSELL), T., 1272; P., **1902**, 166; (MELLOR), T., 1280, 1292; P., **1902**, 169, 170.

formation of, under the influence of light (MELLOR and ANDERSON), T., 414; P., **1902**, 32.

Hydrochloric acid (*hydrogen chloride*), purification of, from arsenic (THORNE and JEFFERS), P., **1902**, 118.

Hydrocyanic acid (*hydrogen cyanide*), constitution of (CHATTAWAY and WADMORE), T., 191; P., **1902**, 5; (WADE), T., 1596; P., **1902**, 65.

Hydrogen, preparation of pure (MELLOR and RUSSELL), T., 1279; P., **1902**, 167.

behaviour of, with chlorine (MELLOR and RUSSELL), T., 1279; P., **1902**, 167.

union of, with chlorine (MELLOR and ANDERSON), T., 414; P., **1902**, 32; (MELLOR), T., 1280, 1292; P., **1902**, 169, 176.

under the influence of light (MELLOR and ANDERSON), T., 414; P., **1902**, 32.

union of, with oxygen (BAKER), T., 400; P., **1902**, 40.

Hydrogen chloride. See Hydrochloric acid.

cyanide. See Hydrocyanic acid.

Hydrogen *per*oxide, action of, on carbohydrates in presence of ferrous sulphate (MORRELL and CROFTS), T., 666; P., **1902**, 55.

Hydrogen ions, new method of determining the concentration of (JONES and RICHARDSON), T., 1140; P., **1902**, 140.

***o*-Hydroxybenzoic acid.** See Salicylic acid.

3-Hydroxybenzoic acid, 4:6-*di*bromo- and 2-bromo-4:6-*di*nitro- (ROBERTSON), T., 1484; P., **1902**, 190.

4-Hydroxybenzoic acid, 3-*mono*- and 3:5-*di*-bromo-, acetyl derivatives, and ethyl ester of the *di*bromo-compound (ROBERTSON), T., 1482; P., **1902**, 190.

***β*-Hydroxybutyric acid**, resolution of, into its optically active components (MCKENZIE), T., 1402; P., **1901**, 213; **1902**, 185.

1-Hydroxycamphene and its conversion into the *β*-halogen derivatives of camphor, and its methyl and ethyl ethers (FORSTER), T., 264; P., **1902**, 25.

***β*-Hydroxycamphoronic acid.** See *β*-Camphoranic acid.

Hydroxycomenic acid (TICKLE and COLLIE), T., 1006; P., **1902**, 170.

Hydroxydihydrotetramethylhæmatoxylone, nitro-, and its reactions (PERKIN), T., 1063.

Hydroxydihydrotrimethylbrazilone, nitro-, and its acetate (PERKIN), T., 1020; P., **1902**, 147; (GILBODY and PERKIN), T., 1048.

α_1-Hydroxy-$\alpha\alpha$-dimethylglutaric acid, lactone of, and its silver salt (PERKIN), T., 259.

β-Hydroxy-$\alpha\alpha$-dimethylglutaric acid, synthesis of (PERKIN and SMITH), P., **1902**, 214.

6-Hydroxy-2:4-dimethylpyridine. See ψ-Lutidostyril.

Hydroxydimethylpyrone and its acetate (TICKLE and COLLIE), T., 1005; P., **1902**, 170.

Hydroxyethyldimethylacetic acid, lactone of. See $\alpha\alpha$-Dimethylbutyrolactone.

Hydroxyl, interchange of halogen for, in bromo- and chloro-naphthalenediazonium hydroxides (ORTON), P., **1902**, 252.

Hydroxylamine, new colour reaction of (BALL), P., **1902**, 9.

6-Hydroxy-4-methoxybenzoylpropionic acid (PERKIN), T., 231; P., **1901**, 258.

Hydroxyoxamide and its ethyl ester, silver salt, and acetyl derivative (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1565; P., **1902**, 197.

α-Hydroxypropionic acid. See Lactic acid.

Hypoiodous acid (TAYLOR), P., **1902**, 72.

I.

Imino-ethers, synthesis of (LANDER), T., 591; P., **1902**, 72.

Incrustation from the Stone Gallery of St. Paul's Cathedral (CLAYTON), P., **1901**, 201.

Inversion temperature. See Thermochemistry.

Iodine, solubility of, in nitrobenzene containing potassium iodide (DAWSON and GAWLER), T., 528; P., **1902**, 69.

atom, configuration of the (PETERS), T., 1350; P., **1902**, 184.

J.

Jacarandin and its diacetyl and dibenzoyl derivatives (PERKIN and BRIGGS), T., 217; P., **1902**, 11.

K.

Kampherol and its salts, and *tri*bromo- and tetra-acetyl derivatives from the flowers of *Delphinium Consolida* (PERKIN and WILKINSON), T., 585; P., **1900**, 182.

and its tetra-acetate (PERKIN), T., 475; P., **1901**, 87.

3-Keto-1:1-dimethyl-Δ^4-tetrahydrobenzene, bromo-derivatives and 5-chloro- (CROSSLEY and LE SUEUR), P., **1902**, 238.

Ketones, interaction of, with acid chlorides (LEES), P., **1902**, 213.

mixed, preparation of, by heating the mixed calcium salts of organic acids (LUDLAM), T., 1185; P., **1902**, 132.

β-Ketonic acids, esters, optically active (LAPWORTH and HANN), T., 1491, 1499; P., **1902**, 144, 145.

δ-Keto-β-*iso*propylhexoic acid and its oxime and semicarbazide (CROSSLEY), T., 676; P., **1901**, 172; **1902**, 86.

L.

Lactic acid and its potassium salt, influence of acidic oxides on the specific rotation of (HENDERSON and PRENTICE), T., 658; P., **1902**, 88.

Lactone, $C_{14}H_{20}O_2$, from the oil of *Asarum canadense* (POWER and LEES), T., 71; P., **1901**, 210.

Lactose (*milk sugar*), magnetic rotation of (PERKIN), T., 190; P., **1901**, 256.

Lævulose (d-*fructose*), magnetic rotation of (PERKIN), T., 189; P., **1901**, 256.

Lanthanum, atomic weight of (BRAUNER and PAVLÍČEK), T., 1243; P., **1901**, 63.

Lanthanum sulphate, new hydrate of (BRAUNER and PAVLÍČEK), T., 1262.

Lead, action of distilled water on (CLOWES), P., **1902**, 46.

Lead nitrate, spectrum of (HARTLEY), T., 570; P., **1902**, 68.

Light. See Photochemistry.

Limettin, constitution of, and its *mono*- and *di*-chloro-derivatives (TILDEN and BURROWS), T., 508; P., **1901**, 216.

Limonene from oil of rue (POWER and LEES), T., 1590; P., **1902**, 193.

d-**Limonene** (*carvene*), magnetic rotation of (PERKIN), T., 292; P., **1902**, 29.

l-**Limonene**, magnetic rotation of (PERKIN), T., 292; P., **1902**, 29.

d-**Linalool** from the oil of *Asarum canadense* (POWER and LEES), T., 63; P., **1901**, 210.

Liquids, specific heat of (CROMPTON), P., **1902**, 236.

correction of the boiling points of, from observed to normal pressure (YOUNG), T., 777; P., **1902**, 108.

mixed, of constant boiling point, composition of (YOUNG), P., **1902**, 215.

vapour pressures and boiling points of (YOUNG), T., 768; P., **1902**, 107, 218; (YOUNG and FORTEY), P., **1902**, 216.

Liquids, mixed, solvent properties of, in relation to the chemical characters and solvent properties of their components (DAWSON), T., 1086; P., **1902**, 179.

Lithium nitrate, spectrum of (HARTLEY), T., 565; P., **1902**, 68.

Luteolin and its benzoyl derivatives (PERKIN), T., 1174; P., **1902**, 180.

Lutidines. See Dimethylpyridines.

ψ-Lutidostyril and its 3:5-*di*bromo-, 3-cyano- and 3- and 5-nitro-derivatives, and **-5-carboxylic acid** and its 3-nitro-derivative (MOIR), T., 100; P., **1901**, 69.

M.

Magnesium nitrate, spectrum of (HARTLEY), T., 568; P., **1902**, 68.

potassium and rubidium sulphates, anhydrous (MALLET), T., 1548; P., **1902**, 198.

Magnetic rotation. See Photochemistry.

Malondihydroxamic acid (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1572.

Maltose from the action of ungerminated barley diastase on starch (BAKER), T., 1177; P., **1902**, 134.

magnetic rotation of (PERKIN), T., 190; P., **1901**, 256.

Manganic hydroxide, action of sulphurous acid on (CARPENTER), T., 10; P., **1901**, 212.

Manganous potassium, rubidium and thallous sulphates, anhydrous (MALLET), T., 1549; P., **1902**, 198.

Mannitol, magnetic rotation of (PERKIN), T., 188; P., **1901**, 256.

influence of, on the vapour pressure of aqueous ammonia solution (PERMAN), T., 484; P., **1901**, 261.

solubility of, in water (FINDLAY), T., 1217; P., **1902**, 172.

***m*-Meconine** (PERKIN), T., 1027; (GILBODY and PERKIN), T., 1042.

Memorial lectures: Frankland (ARMSTRONG), P., **1901**, 193; Raoult (VAN'T HOFF), T., 969; P., **1902**, 81.

Menthol magnetic rotation of (PERKIN), T., 309; P., **1902**, 29.

Mercury aluminium couple, use of, as a halogen carrier (COHEN and DAKIN), T., 1324; P., **1902**, 183.

Dimercurammonium bromide, chloride, and nitrite, and mercuric bromide and chloride (RÂY), T., 644; P., **1901**, 96; **1902**, 85.

Mercuric ammonium bromide, chloride, and chlorobromide (RÂY), T., 648; P., **1902**, 85.

Mercury acetylides (BURKARD and TRAVERS), T., 1271; P., **1902**, 183.

cyanide, auto-reduction of (MARSH and STRUTHERS), P., **1902**, 249.

Mesityl oxide (*methyl* iso*butenyl ketone*; iso*propylideneacetone*) (TITHERLEY), T., 1526; P., **1902**, 187.

Mesitylene, influence of, on the rotation of ethyl tartrate (PATTERSON), T., 1097; P., **1902**, 133.

Mesoxalic semi-aldehyde (FENTON and RYFFEL), T., 426; P., **1902**, 54.

Mesoxamide, oxime of, derivatives of (WHITELEY), P., **1902**, 212.

Metallic cyanides constitution of (WADE), T., 1596; P. **1902**, 65; (MARSH), P., **1902**, 248.

nitrates, absorption spectra of (HARTLEY), T., 556; P., **1902**, 67, 239.

thiocyanates, action of, on carbonyl chloride (DIXON), P., **1902**, 240.

Methane, preparation of, and slow oxidation of, at low temperatures (BONE and WHEELER), T., 535; P., **1902**, 51.

Methoxyanilinophosphoric acid, barium salt (CAVEN), T., 1374.

Methoxyanilinophosphoryl chloride (CAVEN), T., 1373.

Methoxyl groups, modification of Zeisel's method for the estimation of (HEWITT and MOORE), T., 318; P., **1902**, 8.

Methoxyphosphoryl chloride (CAVEN), T., 1373.

***p*-Methoxysalicylic acid** (PERKIN), T., 231, 1021; P., **1900**, 106; **1901**, 258; **1902**, 147; (GILBODY and PERKIN), T., 1053; P., **1899**, 28; **1900**, 106.

Methoxy-*p*-toluidinophosphoric acid, barium and potassium salts (CAVEN), T., 1374.

Methoxy-*p*-toluidinophosphoryl chloride (CAVEN), T., 1374.

Methyl, displacement of benzyl by, in substituted nitrogen compounds (JONES), P., **1901**, 205.

Methyl alcohol, properties of mixtures of, with benzene, and with benzene and water (YOUNG and FORTEY), T., 740; P., **1902**, 105.

properties of mixtures of, with water (YOUNG and FORTEY), T., 718; P., **1902**, 105.

Methyl *iso*butenyl ketone. See Mesityl oxide.

Methylcarboxyaconitic acid (*butylenetetracarboxylic acid*), ethyl ester (RUHEMANN), T., 1213; P., **1902**, 181.

Methylene *di*iodide, action of, on aryl- and naphthyl-amines (SENIER and GOODWIN), T., 280; P., **1902**, 12.

Methylenedimethylsuccinic acid (BONE and SPRANKLING), T., 51; P., **1901**, 243.

Methylethylphenacylthetine salts (POPE and NEVILLE), T., 1558; P., **1902**, 199.

Methyl group, influence of, on ring formation (GILBODY and SPRANKLING), T., 787; P., **1900**, 224.

Methylheptylcarbinol. See Nonyl alcohol.

Methyl heptyl ketone and its carbazone from oil of rue (POWER and LEES), T., 1588; P., **1902**, 193.

d-**Methylhydrindone** and its oximes, hydrazones and semicarbazones (KIPPING), P., **1902**, 34.

Methyl β-methylhexyl ketone and its oxime and semicarbazone (LEES), T., 1595; P., **1902**, 193.

Methylnonylcarbinol. See Undecyl alcohol.

Methyl nonyl ketone and its semicarbazone from oil of rue (POWER and LEES), T., 1588; P., **1902**, 193.

2-Methylpyridine. See Picoline.

Methylpyridinetricarboxylic acid, m. p. 208° (DOBBIE and LAUDER), T., 146; P., **1901**, 252.

α-**Methyltricarballylic acids** (*butanetricarboxylic acids*), synthesis and dissociation constants of, and their cyano-derivatives, esters, and anhydro-acids (BONE and SPRANKLING), T., 29; P., **1901**, 215.

Milk sugar. See Lactose.

Molecular complexity of acetic acid in chloroform solution (DAWSON), T., 521; P., **1902**, 69.

solution volume in relation to the rotation of ethyl tartrate in various solvents (PATTERSON), T., 1131; P., **1902**, 133.

weight. See Weight, molecular.

Molybdenum boride (TUCKER and MOODY), T., 16; P., **1901**, 129.

Myricetin and its tetrabromo-derivative and pentamethyl ether and its acetyl compound, and hexaethyl ether (PERKIN), T., 203; P., **1902**, 11.

Myricitrin and its hydrolysis (PERKIN), T., 207; P., **1902**, 11.

Myrticolorin, identity of, with osyritrin and violaquercitrin (PERKIN), T., 477; P., **1901**, 88; **1902**, 58.

N.

Naphthacridines, α- and β-, and their salts, and the nitro-derivatives of the α-compound (SENIER and GOODWIN), T., 288; P., **1902**.

Naphthalene, formula of (MARSH), T., 963; P., **1902**, 165.

Naphthalene, influence of, on the rotation of ethyl tartrate (PATTERSON), T., 1134; P., **1902**, 133.

Naphthalene-2-azo-β-naphthol, 1-chloro- (MORGAN), T., 1381; P., **1902**, 185.

β-**Naphthalenediazoaminotetrahydro-β-naphthalene** (SMITH), T., 906; P., **1902**, 137.

Naphthalenediazonium hydroxides, bromo- and chloro-, interchange of halogen for hydroxyl in (ORTON), P. **1902**, 252.

Naphtharonylacetic acid, ethyl ester, and amide (RUHEMANN), T., 425; P., **1902**, 46.

β-**Naphthol**, condensation of, with dimethylaminobenzaldehyde (HEWITT, TURNER, and BRADLEY), T., 1207; P., **1902**, 181.

Naphthols, α- and β-, action of ethyl chlorofumarate on the sodium derivatives of (RUHEMANN), T., 422; P., **1902**, 45.

α-**Naphthoxyfumaric acid**, ethyl ester (RUHEMANN), T., 426; P., **1902**, 45.

β-**Naphthoxyfumaric acid** and its ethyl ester (RUHEMANN), T., 422; P., **1902**, 45.

β-**Naphthylamine**, 1-nitro-, action of nitrous acid on (MORGAN), T., 1381; P., **1902**, 185.

Naphthylamines, action of methylene diiodide on (SENIER and GOODWIN), T., 280; P., **1902**, 12.

Nickel ammonium chromate (BRIGGS), P., **1902**, 255.

potassium sulphate (MALLET), T., 1550; P., **1902**, 198.

Nitrates, organic, constitution of (MARSHALL and WIGNER), P., **1902**, 32.

Nitric acid, absorption spectra of (HARTLEY), T., 559; P., **1902**, 67, 239.

Nitrogen, amount of, as ammonia and as nitric acid, in the rain-water collected at Rothamsted (MILLER), P., **1902**, 88.

amount of, as nitrates, in the drainage through uncropped and unmanured land (MILLER), P., **1902**, 89.

liquid, variation with temperature of the surface energy and density of (BALY and DONNAN), T., 907; P., **1902**, 115.

quinquevalent, isomeric salts containing (KIPPING), P., **1902**, 209, 211.

Nitrogen bromides containing propionyl (CHATTAWAY), T., 814; P., **1902**, 113.

bromides and chlorides, derived from ortho-substituted anilides (CHATTAWAY and WADMORE), T., 984; P., **1902**, 173.

Nitrogen chlorides containing propionyl (CHATTAWAY), T., 637; P., **1902**, 64.
substituted (ORTON), T., 497, 503; P., **1902**, 59, 73; (CHATTAWAY), P., **1902**, 165.
containing the azo-group (CHATTAWAY), T., 982; P., **1902**, 174.
*per*oxide (tetr*oxide*), liquid, as a solvent (FRANKLAND and FARMER), P., **1902**, 47.
Nitrogen compounds, substituted, displacement of benzyl by methyl in (JONES), P., **1901**, 205.
*iso***Nitroso-**. See Oximino- or under the Parent Substance.
Nonanetricarboxylic acids. See *αγ*-Di*iso*propyltricarballylic acids.
Nonyl alcohol (*methyl*-n-*heptylcarbinol*) from oil of rue (POWER and LEES), T., 1592; P., **1902**, 193.
Norbrazilinic acid (PERKIN), T., 1035.
Nux vomica, estimation of brucine and strychnine in (DOWZARD), P., **1902**, 220.

O.

Obituary notices:—
Sir Joseph Henry Gilbert, T., 625.
Henry George Madan, T., 628.
W. B. Randall, T., 629.
Saville Shaw, T., 630.
Maxwell Simpson, T., 631.
William Thomas Newton Spivey, T., 635.
2:4:2′:4′-Octamethyl*tetra***-aminoditolyl-5:5′-methane** and its picrate (MORGAN), T., 657; P., **1902**, 87.
Osyritrin, identity of, with violaquercitrin and myrticolorin (PERKIN), T., 477; P., **1901**, 88; **1902**, 58.
Oxalacetic acid and its phenylhydrazone, dissociation constants of (JONES and RICHARDSON), T., 1158; P., **1902**, 141.
phenylhydrazone and *p*-bromo-, decomposition of, in aqueous and acid solutions (JONES and RICHARDSON), T., 1140; P., **1902**, 140.
Oxalic acid, ethyl ester, action of sodamide on (TITHERLEY), T., 1529; P., **1902**, 187.
Oxalodihydroxamic acid (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1572.
Oxamphenylhydrazide (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1566; P., **1902**, 197.
Oxanilide, *m*-nitro- (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1569.
Oxanilphenylhydrazide and *o*-, *m*- and *p*-nitro- (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1567; P., **1902**, 197.
Oximinocamphor, isomeric benzoyl derivatives from (FORSTER), P., **1902**, 238.
α-Oximino-ketones, characteristic reaction of (WHITELEY), P., **1902**, 212.
Oximinomalondi-alkyl- and **-aryl-amides** and their salts (WHITELEY), P., **1902**, 212.
Oximinomalon-*o*-tolylamic acid, ethyl ester (WHITELEY), P., **1902**, 212.
Oxyazo-compounds, constitution of (HEWITT and AULD), T., 171; P., **1901**, 264.
Oxygen, evolution of, from the decomposition of potassium chlorate in presence of the oxides of manganese (SODEAU), T., 1066; P., **1902**, 136.
liquid, variation with temperature of the density and surface energy of (BALY and DONNAN), T., 907; P., **1902**, 115.
union of hydrogen with (BAKER), T., 500; P., **1902**, 40.

P.

Palmitic acid from the oil of *Asarum canadense* (POWER and LEES), T., 61; P., **1901**, 210.
Pentanedicarboxylic acids. See:—
Dimethylglutaric acids.
Pimelic acid (iso*propylsuccinic acid*).
Trimethylsuccinic acid.
Pentanetricarballyic acids. See:—
αβ-Dimethylpropanetricarboxylic acid.
Dimethyltricarballylic acids.
Pentenedicarboxylic acid. See *αα*-Dimethylglutaconic acid.
Pentenetetracarboxylic acid. See Ethylcarboxyaconitic acid.
Perchlorate formation, theory of (SODEAU), T., 1066; P., **1902**, 136.
Period of induction in the reaction between chlorine and hydrogen (MELLOR), T., 1292; P., **1902**, 170.
*iso***Persulphocyanic acid**, formation of (DIXON), T., 168; P., **1901**, 261.
Pheno-α-amino*cyclo*heptane, resolution of, into its optical isomerides; salts of and its benzoyl derivative (KIPPING and HUNTER), T., 574; P., **1902**, 60.
Phenol, $C_9H_{12}O_2$, from the oil of *Asarum canadense* (POWER and LEES), T., 60; P., **1901**, 210.
Phenol, absorption spectra of (HARTLEY, DOBBIE, and LAUDER), T., 933; P., **1902**, 172.

Phenol bromide, *tri*bromo- (*dibromobenzene ketodibromide*) (LEWIS), T., 1001; P., **1902**, 177.
Phenol, *tri*nitro-. See Picric acid.
Phenol compounds, bromo-, action of nitric acid on (ROBERTSON), T., 1475; P., **1902**, 189.
Phenols, condensation of, with esters of unsaturated acids (RUHEMANN), T., 419; P., **1902**, 45.
Phenolphthaleinanhydride. See Fluoran.
Phenyl methyl selenide (POPE and NEVILLE), T., 1553; P., **1902**, 198.
Phenylacetic acid, ethyl ester, action of sodium benzamide on (TITHERLEY), T., 1531; P., **1902**, 187.
N-**Phenylacetimino-ethyl ether**, hydrochloride (LANDER), T., 597; P., **1902**, 73.
Phenylacetone. See Benzyl methyl ketone.
Phenyl acetyl nitrogen chloride, chlorobromonitro- and bromonitro-derivatives of (ORTON), T., 497, 503; P., **1902**, 59, 73.
Phenylallophanic acid, *m*- and *p*-nitro-, ethyl esters (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1569.
Phenylamino-. See Anilino-.
N-**Phenylbenzimino-ethers** (LANDER), T., 593; P., **1902**, 72.
Phenylbiuret, *o*-, *m*-, and *p*-nitro- (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1568.
Phenylcarboxyaconitic acid, ethyl ester (RUHEMANN), T., 1214; P., **1902**, 181.
Phenylchloromethylenecamphor (FORSTER), P., **1902**, 237.
m-**Phenylenediamine**, methylation of (MORGAN), T., 655; P., **1902**, 87.
m-**Phenylenediamine**, 2:5-*di*chloro-, and its acyl derivatives, and the action of diazonium salts on (MORGAN and NORMAN), T., 1382; P., **1902**, 185.
Phenylglycinehydroxamic acid and its sodium salt and acetyl derivative (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1574.
Phenylhydroxylamine, 3:5-*di*nitro- (COHEN and DAKIN), T., 29; P., **1901**, 214.
Phenylhydroxymethylenecamphor (FORSTER), P., **1902**, 237.
Phenylhydroxyoxamide and *o*-, *m*-, and *p*-nitro-, and their salts and acetyl derivatives (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1567; P., **1902**, 197.
Phenylmethylselenetine salts, *d*- and *l*- (POPE and NEVILLE), T., 1553; P., **1902**, 198.
s-**Phenylmethylsuccinic acid** and its salts (RUHEMANN), T., 1216; P., **1902**.
Phenyloxamic acid, *o*- and *p*-nitro-, ethyl esters (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1568.
Phenyl propionyl nitrogen bromide and **chloride**, bromo-derivatives of (CHATTAWAY), T., 816; P., **1902**, 113.
chloro-derivatives of (CHATTAWAY), T., 639; P., **1902**, 64.
Phenylsuccinimide and its alkyl substituted derivatives, stability of (GILBODY and SPRANKLING), T., 802; P., **1900**, 225.
Phenyltetrazolylthiocarbamide (RUHEMANN and STAPLETON), T., 262.
Phenyl-*p***-tolyliodonium** salts (PETERS), T., 1353; P., **1902**, 184.
Phenyltrimethylenedicarboxylic acid and its salts and anhydride (RUHEMANN), T., 1215; P., **1902**, 181.
Phloroglucinol and its trimethyl ether, absorption spectra of (HARTLEY, DOBBIE, and LAUDER), T., 929; P., **1902**, 171.
Phorone and *iso***Phorone** (TITHERLEY), T., 1526; P., **1902**, 187.
Phosgene. See Carbonyl chloride.
Phosphates, localisation of, in the sugar cane (SPRANKLING), T., 1543; P., **1902**, 196.
Phosphorus haloids, action of, on dihydroresorcins (CROSSLEY and LE SUEUR), P., **1902**.
*sub*oxide (BROWNING), P., **1901**, 243.
Phosphoric oxide, vapour density of (WEST), T., 928; P., **1902**, 138.
Phosphorus *tetr*oxide (*phosphorosophosphoric oxide*) (WEST), T., 923; P., **1901**, 138.
sesquisulphide and its behaviour with Mitscherlich's test (CLAYTON), P., **1902**, 129.
*tri*thiocyanate, action of, on alcohols (DIXON), T., 168; P., **1901**, 260.
Phosphoryl chloride and its derivatives, molecular configuration of (CAVEN), T., 1362; P., **1901**, 26.
PHOTOCHEMISTRY:—
Light, influence of, on the combination of carbon monoxide with chlorine (DYSON and HARDEN), P., **1902**, 191.
action of, on chlorine gas (MELLOR), T., 1280; P., **1902**, 169.
action of, on the combination of chlorine and hydrogen (MELLOR and ANDERSON), T., 414; P., **1902**, 32.
Radiations from radium and thorium, condensation points of (RUTHERFORD and SODDY), P., **1902**, 219.

PHOTOCHEMISTRY:—
Radioactivity, cause and nature of (RUTHERFORD and SODDY), T., 837; P., **1902**, 120.
of thorium compounds (RUTHERFORD and SODDY), T., 321, 837; P., **1902**, 2, 120.
of uranium (SODDY), T., 860; P., **1902**, 121.
Polarisation:—
Rotation of optically active compounds, influence of solvents on the (PATTERSON), T., 1097, 1134; P., **1902**, 133.
of lactic acid and its potassium salt, influence of acidic oxides on the (HENDERSON and PRENTICE), T., 658; P., **1902**, 88.
of ethyl tartrate, influence of benzene, toluene, *o*-, *m*-, and *p*-xylene and of mesitylene on the (PATTERSON), T., 1097; P., **1902**, 133.
influence of napthalene on (PATTERSON), T., 1134; P., **1902**, 133.
Magnetic rotation of ring compounds (PERKIN), T., 292; P., **1902**, 28.
of some polyhydric alcohols, hexoses, and saccharobioses (PERKIN), T., 177; P., **1901**, 256.
of β-bromocamphor (PERKIN), T., 1465.
of 3:5-*di*chloro-1:1-dimethyl-$\Delta^{2:4}$-dihydrobenzene (PERKIN), T., 828.
of 3:5-*di*chloro-*o*-xylene (PERKIN), T., 1535.
of 1:1-dimethyl-$\Delta^{2:4}$-dihydrobenzene (PERKIN), T., 836.
Mutarotation of camphorquinonehydrazone, and the influence of catalytic agents on it (LAPWORTH and HANN), T., 1508; P., **1902**, 143.
Refraction of borneol and camphor and its derivatives (PERKIN), T., 317; P., **1902**, 29.
of β-bromocamphor (PERKIN), T., 1465.
of 3:5-*di*chloro-1:1-dimethyl-$\Delta^{2:4}$-dihydrobenzene (PERKIN), T., 828.
of 3:5-*di*chloro-*o*-xylene (PERKIN), T., 1535.
of dimethyl-$\Delta^{2:4}$-dihydrobenzene (PERKIN), T., 836.
Spectra, absorption, of metallic nitrates (HARTLEY), T., 556; P., **1902**, 67, 239.
of phenol, phloroglucinol and some of its derivatives, and pyrogallol (HARTLEY, DOBBIE, and LAUDER), T., 929; P., **1902**, 171.
Phthalic acid, 3:5-*di*chloro-, and its diethyl ester, silver salt, anhydride, anil and imide (CROSSLEY and LE SUEUR), T., 1536; P., **1901**, 191.
2-Picoline (*2-methylpyridine*) from Scottish shale oil (GARRETT and SMYTHE), T., 451; P., **1900**, 190; **1903**, 47.
Picric acid, solubility of, in benzene and in water (FINDLAY), T., 1219; P., **1902**, 172.
Picriminothiocarbonic esters (CROCKER), T., 436; P., **1092**, 57.
Pimelic acid (*isopropylsuccinic acid; pentanedicarboxylic acid*) (CROSSLEY), T., 676; P., **1901**, 172; **1902**, 86.
Pinene from the oil of *Asarum canadense* (POWER and LEES), T., 61; P., **1901**, 210.
from oil of rue (POWER and LEES), T., 1590; P., **1902**, 193.
and its derivatives, magnetic rotation of (PERKIN), T., 292; P., **1902**, 29.
derivatives (TILDEN and BURROWS), P., **1902**, 161.
Plant food, determination of available, in soils by the use of weak acid solvents (HALL and PLYMEN), T., 117; P., **1901**, 239, 265.
Platinum, brittle, composition of (HARTLEY), P., **1902**, 30.
Polyiodides in nitrobenzene solution (DAWSON and GAWLER), T., 524; P., **1902**, 69.
Potassium chlorate, decomposition of, in presence of the oxides of manganese (SODEAU), T., 1066; P., **1902**, 136.
iodide, solubility of, in nitrobenzene containing iodine (DAWSON and GAWLER), T., 529; P., **1902**, 69.
*nona*iodide, KI_9, probable existence of, in nitrobenzene solution (DAWSON and GAWLER), T., 532; P., **1902**, 70.
nitrate, spectrum of (HARTLEY), T., 563; P., **1902**, 68.
sulphate, influence of, on the vapour pressure of aqueous ammonia solution (PERMAN), T., 485; P., **1901**, 261.
cobaltous, magnesium, manganous and nickel sulphates, anhydrous (MALLET), T., 1548; P., **1902**, 198.
Pressure apparatus, constant, for both reduced and increased pressures (INNES), T., 684; P., **1902**, 26.
Propanedicarboxylic acid. See Dimethylmalonic acid.
Propanetricarboxylic acid. See Tricarballylic acid.
Propionanilide, *o*- and *p-mono*-, 2:4-*di*-, and 2:4:6-*tri*-bromo- (CHATTAWAY), T., 817; P., **1902**, 113.

Propionanilide, chloro-derivatives of (CHATTAWAY), T., 639; P., **1902**, 64.

p-**Propionyl-amino-** and **-chloramino-azobenzenes** (CHATTAWAY), T., 982; P., **1902**, 174.

Propionyl-bromo- and **-chloro-aminobenzenes**, bromo-derivatives (CHATTAWAY), T., 816; P., **1902**, 113.

Propionyl-bromo- and **-chloro-aminochlorobenzenes** (CHATTAWAY), T., 639; P., **1902**, 64.

n-**Propyl alcohol**, properties of mixtures of, with benzene, and with benzene and water (YOUNG and FORTEY), T., 747; P., **1902**, 105.

properties of mixtures of, with water (YOUNG and FORTEY), T., 723; P., **1902**, 105.

*iso***Propyl alcohol**, properties of mixtures of, with benzene, and with benzene and water (YOUNG and FORTEY), T., 744; P., **1902**, 105.

properties of mixtures of, with water (YOUNG and FORTEY), T., 726; P., **1902**, 105.

4-*iso***Propyldihydroresorcin** and its silver salt, dioxime, ethyl ether and bromo-derivative (CROSSLEY), T., 678; P., **1901**, 172; **1902**, 86.

4-*iso***Propyldihydroresorcylic acid**, ethyl ester (CROSSLEY), T., 676; P., **1901**, 172; **1902**, 86.

β-*iso***Propylglutaric acid** (*hexanedicarboxylic acid*) (CROSSLEY), T., 676; P., **1901**, 172; **1902**, 86.

*iso***Propylideneacetone**. See Mesityl oxide.

*iso***Propylsuccinanilic acid** (CROSSLEY), T., 682.

*iso***Propylsuccinic acid** (*pentanedicarboxylic acid*). See Pimelic acid.

Purpurogallin and its **-carboxylic acid**, tetra-acetyl, tribenzoyl, and dibromo-derivatives (PERKIN and STEVEN), P., **1902**, 74.

trimethyl ether and its acetyl derivative (PERKIN and STEVEN), P., **1902**, 253.

Purpurogallone and *iso***Purpurogallone** (PERKIN and STEVEN), P., **1902**, 254.

Pyrantin (p-*ethoxyphenylsuccinimide*), and its alkyl substituted derivatives, stability of (GILBODY and SPRANKLING), T., 793; P., **1900**, 224.

Pyridine from Scottish shale oil (GARRETT and SMYTHE), T., 451; P., **1900**, 190; **1902**, 47.

Pyrogallol, absorption spectra of (HARTLEY, DOBBIE, and LAUDER), T., 933; P., **1902**, 172.

Pyruvylphenylhydrazonehydroxamic acid and its salts and acetyl derivative (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1573.

Q.

Quercetagetin, and its sulphate, potassium salt and acetyl compound (PERKIN), P., **1902**, 75.

Quercetin tetramethyl and tetraethyl ethers, constitution of (PERKIN and ALLISON), T., 471.

R.

Racemisation, catalytic, of amygdalin (WALKER), P., **1902**, 198.

Radiations, and **Radioactivity**. See Photochemistry.

Radium, condensation point of emanations from (RUTHERFORD and SODDY), P., **1902**, 219.

Rain-water, amounts of nitrogen as ammonia and as nitric acid, and of chlorine in the, collected at Rothamsted (MILLER), P., **1902**, 88.

Ratio of distribution of acetic acid between chloroform and water (DAWSON), T., 522; P., **1902**, 69.

of a base between two acids, method of determining (DAWSON and GRANT), T., 512; P., **1902**, 68.

Refraction. See Photochemistry.

Residual affinity, part played by, in the formation of substitution derivatives (ARMSTRONG and HORTON), P., **1901**, 246.

Resins from green ebony (PERKIN and BRIGGS), T., 219; P., **1902**, 12.

Resorcinol, 4:2-chloronitro-, and its 1-methyl ether and dibenzoate (MELDOLA and EYRE), T., 999.

Rhamnazin and **Rhamnetin**, constitution of (PERKIN and ALLISON), T., 469.

Ring compounds, magnetic rotation of (PERKIN), T., 292; P., **1902**, 28.

Ring formation, influence of the methyl group on (GILBODY and SPRANKLING), T., 787; P., **1900**, 224.

Robinin and its colouring matter (PERKIN), T., 473; P., **1901**, 87.

Rotation. See Photochemistry.

Rubidium magnesium and manganous sulphates, anhydrous (MALLET), T., 1549; P., **1902**, 198.

Rue, oil of, constituents of (POWER and LEES), T., 1585; P., **1902**, 192.

Rufigallic acid (PERKIN), P., **1902**, 254.

S.

Saccharose. See Sucrose.

Salicyclic acid, 5-*mono*- and 3:5-*di*-bromo-, acetyl derivatives (ROBERTSON), T., 1481; P., **1902**, 190.

Salicylbenzamide (TITHERLEY), T., 1533; P., **1902**, 187.

Selenium, sexavalency of, and asymmetric optically active compounds of (POPE and NEVILLE), T., 1552; P., **1902**, 198.

Selenium compounds, decomposition of, by moulds (ROSENHEIM), P., **1902**, 138.

Shale oil, Scottish, bases in (GARRETT and SMYTHE), T., 449; P., **1900**, 190; **1902**, 47.

Silver cyanide, auto-reduction of (MARSH and STRUTHERS), P., **1902**, 249.
nitrate, spectrum of (HARTLEY), T., 560; P., **1902**, 68, 239.

Sodamide and its acyl derivatives, action of, on organic esters and on acetone (TITHERLEY), T., 1520; P., **1902**, 186.

Sodium biborate (*borax*), the molecular condition of, in solution (SHELTON), P., **1902**, 169.
nitrate, spectrum of (HARTLEY), T., 567; P., **1902**, 68.

Soils, sampling of (LEATHER) T., 883; P., **1902**, 125.
determination of available plant food in, by the use of weak acid solvents (HALL and PLYMEN), T., 117; P., **1901**, 239, 265.

Solubility, factors which condition (LUMSDEN), T., 363; P., **1902**, 31.
of potassium iodide in nitrobenzene containing iodine (DAWSON and GAWLER), T., 529; P., **1902**, 69.
of the calcium salts of the acetic acid series (LUMSDEN), T., 350; P., **1902**, 31.
of barium acetate (WALKER and FYFFE), P., **1902**, 246.
of anthracene, mannitol, and picric acid (FINDLAY), T., 1217; P., **1902**, 172.
of cyamelide and cyanuric acid (SENIER and WALSH), T., 291; P., **1902**, 13.
of iodine in nitrobenzene containing potassium iodide (DAWSON and GAWLER), T., 528; P. **1902**, 62.

Solutions, very dilute, the transport number of (STEELE and DENISON), T., 456; P., **1902**, 29.

Solvent, liquid nitrogen peroxide as a (FRANKLAND and FARMER), P., **1902**, 47.

Solvent properties of mixed liquids (DAWSON), T., 1086; P., **1902**, 179.

Solvents, influence of, on the rotation of optically active compounds (PATTERSON), T., 1097, 1134; P., **1902**, 133.

Specific gravity. See Density.
heat. See Thermochemistry.
rotation. See Photochemistry.
volume. See Volume, specific.

Spectra. See Photochemistry.

Starch, velocity of hydrolysis of, by diastase (BROWN and GLENDINNING), T., 388; P., **1902**, 43.
action of ungerminated barley diastase on (BAKER), T., 1177; P., **1902**, 134.

Strychnine, estimation of, in nux vomica (DOWZARD) P., **1902**, 220.

Substance, $C_3H_7N_4I$ and $C_3H_9H_4I_3$, from the action of methyl iodide on tetrazoline (RUHEMANN and STAPLETON), T., 261; P., **1902**, 30.
$C_{11}H_8O_4$, preparation of, and use of, for the identification of carbamide and primary amines (FENTON), P., **1902**, 244.
$C_{13}H_{16}O_5N_2$, and $C_{14}H_{20}O_8N_2$, from the reduction of acid (methyl ester) $C_{14}H_{18}O_8N_2$ (PERKIN), P., **1901**, 204.
$C_{17}H_{14}O_4$, and its acetyl compound from commercial chrysarobin (JOWETT and POTTER), T., 1583; P., **1902**, 192.
$C_{17}H_{20}O_2N_2$, from the action of nitrous acid on benzylidenecamphoroxime (FORSTER), P., **1902**, 90.
$C_{19}H_{16}O_7$, from the action of quinone on excoecarin (PERKIN and BRIGGS), T., 215; P., **1902**, 11.
$C_{34}H_{38}O_4$, from the action of potassium ferricyanide on enolic benzoylcamphor (FORSTER), P., **1902**, 238.

Substitution, influence of, on the reactivity of the aromatic *m*-diamines (MORGAN), T., 650; P., **1902**, 87.
influence of, on the formation of diazoamines and aminoazo-compounds (MORGAN), T., 86, 1376; P., **1901**, 236; **1902**, 185.

Substitution derivatives, part played by residual affinity in the formation of (ARMSTRONG and HORTON), P., **1901**, 246.

Sucrose (*saccharose, cane sugar*), magnetic rotation of (PERKIN), T., 189; P., **1901**, 256.

Sugar cane, localisation of phosphates in the (SPRANKLING), T., 1543; P., **1902**, 196.

Sulphamide, preparation of, from ammonium amidosulphite (DIVERS and OGAWA), T., 504; P., **1902**, 71.

Sulphates, isometric anhydrous, of the form $M''SO_4$, R'_2SO_4 (MALLET), T., 1546; P., **1902**, 198.

Sulphocampholenecarboxylic acid and its salts (HARVEY and LAPWORTH), P., **1902**, 142.
Sulphur, sexavalency of (POPE and NEVILLE), T., 1552; P., **1902**, 198.
orienting influence of (ARMSTRONG and HORTON), P., **1901**, 246.
Sulphurous acid, oxidation of, dithionic acid (CARPENTER), T., 1; P., **1901**, 212.
Surface energy of liquid oxygen, nitrogen, argon, and carbon monoxide, variation of the, with temperature (BALY and DONNAN), T., 907; P., **1902**, 115.

T.

Tartaric acid, ethyl ester, influence of benzene, toluene, *o*-, *m*-, and *p*-xylenes and of mesitylene on the rotation of (PATTERSON), T., 1097; P., **1902**, 133.
influence of naphthalene on the rotation of (PATTERSON), T., 1134; P., **1902**, 133.
di-*sec.*-octyl ester (MCCRAE), T., 1221; P., **1902**, 182.
Tartaric acid, nitro-, and its esters (FRANKLAND, HEATHCOTE, and HARTLE), P., **1902**, 250.
Taxine, its mode of extraction, properties, and hydrochloride, sulphate, gold chlorides and methiodide (THORPE and STUBBS), T., 874; P., **1902**, 123.
Tellurium, atomic weight of (SCOTT), P., **1902**, 112.
Tellurium compounds, decomposition of, by moulds (ROSENHEIM), P., **1902**, 138.
Terpenes, derivatives of (TILDEN and BURROWS), P., **1902**, 161.
Terpenylic acid from isocamphoronic acid (PERKIN), T., 258; P., **1900**, 215.
l-**Terpineol** from the oil of *Asarum canadense* (POWER and LEES), T., 63; P., **1901**, 210.
Tetra-azo-*oo*-dimethoxydiphenyl chloride, rate of decomposition of (CAIN and NICOLL), T., 1440; P., **1902**, 186.
Tetra-azodiphenyl chlorides, and *oo*-di-chloro-, rates of decomposition of (CAIN and NICOLL), T., 1438; P., **1902**, 186.
Tetra-azoditolyl chloride, rate of decomposition of (CAIN and NICOLL), T., 1439; P., **1902**, 186.
ar-**Tetrahydro-β-naphthalene**, diazoamino-compounds of (SMITH), T., 900; P., **1902**, 137.
ar-**Tetrahydronaphthaleneazo-β-naphthol** (SMITH), T., 903; P., **1902**, 137.
Tetrahydro-β-naphthaleneazo-β-naphthylamine (SMITH), T., 906; P., **1902**, 137.
Tetramethoxy*di*nitrodibenzyl (GILBODY and PERKIN), T., 1051.
2:4-Tetramethyl*di*aminotoluene and its additive compounds (MORGAN), T., 653; P., **1902**, 87.
4:6-Tetramethyl*di*amino-*m*-xylene and its additive salts (MORGAN), T., 654; P., **1902**, 87.
Tetramethylhæmatoxylin, oxidation of, with chromic acid (PERKIN), T., 1057; P., **1899**, 28.
oxidation of, with permanganate (PERKIN and YATES), T., 240; P., **1899**, 27, 75, 241; **1900**, 107.
Tetramethylhæmatoxylone (PERKIN), T., 1060; P., **1899**, 28.
Tetramethyl-*m*-phenylenediamine (MORGAN), T., 655; P., **1902**, 87.
Tetrazoline and the action of methyl iodide on (RUHEMANN and STAPLETON), T., 261; P., **1902**, 30.
Thallium nitrate, spectrum of (HARTLEY), T., 561; P., **1902**, 68.
Thallous manganous sulphate, anhydrous (MALLET), T., 1550; P., **1902**, 198.
THERMOCHEMISTRY:—
Inversion temperature of the hydrates of barium acetate (WALKER and FYFFE), P., **1902**, 247.
Thermo-regulator, sensitiveness of a (MENZIES), P., **1902**, 10.
Atomic and **Molecular** heats of fusion (ROBERTSON), T., 1233; P., **1902**, 131.
Specific heat of gases (CROMPTON), P., **1902**, 188.
of liquids (CROMPTON), P., **1902**, 236.
Heat of dissociation in benzene solution (INNES), T., 705; P., **1902**, 27.
Heat of reduction of metallic hydroxides (CARPENTER), T., 2; P., **1901**, 212.
Heat of solution, relation between and the shape of a solubility curve (LUMSDEN), T., 367; P., **1902**, 32.
Thermo-regulator. See Thermochemistry.
Thiocarbamide and ammonium, thiocyanate, "dynamic isomerism" of (REYNOLDS and WERNER), P., **1902**, 207.
hydrochloride (STEVENS), T., 79; P., **1901**, 210.
Thorium, condensation point of emanations from (RUTHERFORD and SODDY), P., **1902**, 219.

Thorium compounds, radioactivity of (RUTHERFORD and SODDY), T., 321, 836; P., **1902**, 2, 120.

Tin, antimony and arsenic, separation of (WALKER), P., **1902**, 246.

Toluene, influence of, on the rotation of ethyl tartrate (PATTERSON), T., 1097; P., **1902**, 133.

Toluene, 2:4-*di*bromo-5-nitro-, and 2:4-*di*bromo-3:5-*di*nitro-, and their reduction (DAVIS), T., 870, P., **1902**, 118.

six *di*chloro-derivatives, chlorination of, in presence of the aluminium-mercury couple (COHEN and DAKIN), T., 1324; P., **1902**, 183.

six *tri*chloro-derivatives, preparation, nitration, and oxidation of (COHEN and DAKIN), T., 1327; P., **1902**, 183.

six *di*chloro-*mono*-and -*di*-nitro-derivatives, constitution of (COHEN and DAKIN), T., 1344; P., **1902**, 184.

2-and 4-chloronitroamino-3:5-*di*bromo- (ORTON), T., 968; P., **1902**, 175.

2:4:6-*tri*nitro-, reduction of, with hydrogen sulphide (COHEN and DAKIN), T., 26; P., **1901**, 214.

2- and 4-nitroamino-3:5-*di*bromo- (ORTON), T., 813; P., **1902**, 111.

***p*-Toluene-5-azo-4:6-*di*amino-*m*-xylene** (MORGAN), T., 95; P., **1901**, 237.

***p*-Toluene-3-azo-5-chloro-2:4-tolylenediamine** (MORGAN), T.. 96; P., **1901**, 237.

***p*-Toluenediazoaminotetrahydro-β-naphthalene** (SMITH), T., 902; P., **1902**, 137.

5-Toluidine, 2:4-*di*bromo-, and its acetyl derivative (DAVIS), T., 872; P., **1902**, 111.

6-Toluidine, 2:4-*di*nitro- (COHEN and DAKIN), T., 28; P., **1901**, 214.

***p*-Toluidino-phosphoryl chloride** and **-phosphamic acid** (CAVEN), T., 1367; P., **1901**, 27.

***p*-Toluoyltartaric acid**, ethyl ester, nitration of (FRANKLAND, HEATHCOTE, and GREEN), P., **1902**, 251.

***N*-*o*-Tolylacetimino-ethyl ether** hydrochloride (LANDER), T., 597; P., **1902**, 73.

***o*-Tolylallophanic acid**, ethyl ester, and ***o*-Tolylbiuret-** (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1571.

***N*-*o*-** and **-*p*-Tolylbenzimino-ethers** (LANDER), T., 595; P., **1902**, 73.

***m*-Tolylenediamine**, methylation of (MORGAN), T., 653; P., **1902**, 87.

***s*-Tolylenediamine**, and its diacetyl derivative (DAVIS), T., 873; P., **1902**, 118.

Tolylenediamines, 2:4- and 3:5-, 5- and 2-chloro-, and their acyl derivatives (MORGAN), T., 95; P., **1901**, 237.

6-Tolylhydroxylamine, 2:4-*di*nitro- (COHEN and DAKIN), T., 27, P., **1901**, 214.

***o*-Tolylhydroxyoxamide**, and its salts and acetyl derivative (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1571; P., **1902**, 197.

***o*-Tolyloxamic acid**, ethyl ester (PICKARD, ALLEN, BOWDLER, and CARTER), T., 1571.

Transport numbers of very dilute solutions (STEELE and DENISON), T., 456; P., **1902**, 29.

Triazole nitrate, preparation of (SILBERRAD), T., 602; P., **1902**, 44.

Tricarballylic acid (*propane-αβγ-tricarboxylic acid*), synthesis and dissociation constant of, and its cyano-derivative, esters, and anhydro-acid (BONE and SPRANKLING), T., 29; P., **1901**, 215.

Trihydroxybutyric acid. See *d*-Erythronic acid.

Trimethylbrazilin, oxidation of, with chromic acid (PERKIN), T., 1016; P., **1902**, 147; (GILBODY and PERKIN), T., 1040; P., **1899**, 27; **1900**, 105.

Trimethylbrazilone (PERKIN), T., 1017; P., **1902**, 147; (GILBODY and PERKIN), T., 1040; P., **1899**, 27; **1900**, 105.

Trimethylhydrindonium hydroxide, resolution of, into its optically active components (KIPPING), T., 275; P., **1902**, 33.

2:4:6-Trimethylpyridine from Scottish shale oil (GARRETT and SMYTHE), T., 451; P., **1900**, 190; **1902**, 47.

Trimethylsuccinic acid (*pentanedicarboxylic acid*), bromination of (BONE and SPRANKLING), T., 50; P., **1901**, 243.

Trimethylsuccinic acid (*pentanedicarboxylic acid*), bromo-, ethyl ester, action of, on ethyl sodiocyanoacetate (BONE and SPRANKLING), T., 52; P., **1901**, 243.

Trimethylsuccinic anhydride, bromo- (BONE and SPRANKLING), T., 51; P., **1901**, 243.

Tungsten boride (TUCKER and MOODY), T., 16; P., **1901**, 129.

U.

Undecyl alcohol (*methyl-*n-*nonylcarbinol*) (POWER and LEES), T., 1593; P., **1902**, 193.

Uranium, radioactivity of (SODDY), T., 860; P., **1902**, 121.

Urea, test for (FENTON), P., **1902**, 244.

V.

Vapour density of phosphorophosphoric and phosphoric oxides (WEST), T., 927; P., **1902**, 138.
See also Density.
Vapour pressures and boiling points of mixed liquids (YOUNG), T., 768; P., **1902**, 107.
of mixed liquids (YOUNG and FORTEY), P., **1902**, 216; (YOUNG), P., **1902**, 218.
of aqueous ammonia solution, influence of salts and other substances on the (PERMAN), T., 480; P., **1901**, 261.
of carbon monoxide (BALY and DONNAN), T., 919.
of isopropyl isobutyrate (YOUNG and FORTEY), T., 783; P., **1902**, 108.
Vapours, compressibility of, accurate method of measuring the (STEELE), T., 1076; P., **1902**, 165.
Velocity of decomposition of diazo-compounds (CAIN and NICOLL), T., 1412; P., **1902**, 186, 244.
Velocity of enzyme action (BROWN), T., 374; P., **1902**, 41.
Velocity of esterification of the two dibenzoylmesitylenic acids (MILLS and EASTERFIELD), T., 1318; P., **1902**, 168.
Velocity of hydrolysis of starch by diastase (BROWN and GLENDINNING), T., 388; P., **1902**, 43.
Velocity of inversion of sucrose (BROWN), T., 376; P., **1902**, 41.
Violaquercitrin, identity of, with osyritrin and myrticolorin (PERKIN), T., 477; P., **1901**, 88; **1902**, 58.
Volume, specific, of isopropyl isobutyrate (YOUNG and FORTEY), T., 783; P., **1902**, 108.

W.

Water, decomposition of the vapour of, by the electric spark (CHAPMAN and LIDBURY), T., 1301; P., **1902**, 183.
distilled, action of, on lead (CLOWES), P., **1902**, 46.
Weight, molecular, determination of, by a simple form of Landsberger's boiling point apparatus (LUDLAM), T., 1193; P., **1902**, 180.
Well waters, Indian saline (LEATHER), T., 887; P., **1902**, 127.

X.

o-**Xylene**, 3:5-*di*chloro- (CROSSLEY and LE SUEUR), P., **1902**, 238.
preparation of (CROSSLEY and LE SUEUR), T., 1534; P., **1902**, 190.
densities, magnetic rotation and refractive values of (PERKIN), T., 1535.
m-**Xylene**, 2:4- and 4:6-*di*amino-, acyl derivatives of (MORGAN), T., 93; P., **1901**, 237.
Xylenes, *o*-, *m*- and *p*-, influence of, on the rotation of ethyl tartrate (PATTERSON), T., 1097; P., **1902**, 133.
Xylenol, bromo-derivatives of (CROSSLEY and LE SUEUR), P., **1902**, 239.
m-**Xylylene-4:6-diamine**, methylation of (MORGAN), T., 654; P., **1902**, 87.

Y.

Yeast, glycogen from (HARDEN and YOUNG), T., 1224; P., **1902**, 182.

Z.

Zinc nitrate, spectrum of (HARTLEY), T., 569; P., **1902**, 68.
Zirconium boride (TUCKER and MOODY), T., 15; P., **1901**, 129.